




MAGIC₂₅

SELECTION


TORSION BIT BOX



THREAD REFORMING TOOL SETS



SOCKET BAR, MAGNETIC



222 TOOLS, 54 HIGHLIGHTS AND INNOVATIONS

39 2005 XL 0520
TOOL TROLLEY



55 KL-0880-20
INFRARED
THERMOMETER



67 142 TC
WATER PUMP
PLIERS



CONTENTS

	SPANNERS	04 – 05		PULLERS	59 – 62
	SOCKETS AND ACCESSORIES	16 – 24		HAMMERS / STRIKING TOOLS	57 – 58
	TORQUE TOOLS	25 – 27		PLIERS	63 – 69
	SCREWDRIVERS	06 – 15		WORKSHOP SUPPLIES	45, 54 – 56
	WORKSHOP EQUIPMENT	28, 34, 37, 41, 46		VDE INSULATED SAFETY TOOLS	69 – 74
	TOOL ASSORTMENTS	29 – 33, 35 – 40, 42, 47 – 48		AUTOMOTIVE	76
	MODULE	51		AGRI	47 – 48
	MOBILE TOOL STORAGE	52 – 53			

1 B-020

COMBINATION SPANNER SET

metric, 20 pieces

- > With UD profile for easy power transmission
- > Ring cranked and 10° angled
- > For actuating recessed or deep-set nuts or screws



Code	No.	Contents	Pieces	Weight kg
6013060	1 B-020	8 9 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 30 32	20	5,5

7 R-005

COMBINATION RATCHET SPANNER SET

5 pieces

- > Practical combination of open-end wrenches with ring ratchet with the same width across flats
- > For ratchet loosening and fast tightening of bolts and nuts
- > High torque transmission enables efficient, ratcheting work



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
2297434	7 R-005	275	145	42	5	0,932
Contents						
7 R 8 10 13 17 19						

7 UR-012

COMBINATION RATCHET SPANNER SET, REVERSIBLE

12 pieces

- > In accordance with DIN 3113, ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
2297418	7 UR-012	7 UR 8 9 10 11 12 13 14 15 16 17 18 19	320	210	54	12	2,84

7 XL-012

COMBINATION SPANNER SET

extra long, 12 pieces

- > With same size each end
- > Extra long shaft for deep range of use and more torque
- > Slim jaw and jaw walls make this spanner lighter overall
- > Ring 15° angled, with UD profile - for gentle power transmission
- > Mouth position 15°, precisely ground to exact nominal dimension for optimum contact surfaces



Code	No.	Contents	Pieces	Weight kg
6095950	7 XL-012	10 11 12 13 14 17 19 22 24 27 30 32 mm	12	4,41

H 6-120

DOUBLE OPEN-ENDED SPANNER SET

12 pieces

- > Acc. to DIN 3110, ISO 3318, ISO 1085, ISO 10102
- > With flat heads
- > Satin non-glare finish
- > Jaw: ground precisely to exact nominal size for optimum contact areas
- > Secure grip thanks to slim profile shaft
- > Overloading indicated by deformation
- > Top-grade industrial quality for the hardest of continuous use



Code	No.	Contents	Pieces	Weight kg
6079750	H 6-120	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	12	2,645

KL-4077-10 K

ARTICULATED RING SPANNER SET, OPEN

6 pieces

- > For easy loosening and tightening of various cable glands on the vehicle
- > Extra-long, open spanner design with swiveling head
- > Specially designed for easy access to cable glands that are difficult to reach



3/8"

Code	No.	Pieces	Weight kg
3459993	KL-4077-10 K	6	1,6

Contents

1x Articulated ring spanner, open, 12 mm, 1x Articulated ring spanner, open, 13 mm
1x Articulated ring spanner, open, 14 mm, 1x Articulated ring spanner, open, 17 mm
1x Articulated ring spanner, open, 19 mm, 1x Articulated ring spanner, open, 22 mm

KL-4443-30

DOUBLE-JOINTED RATCHET SPANNER SET

4 pieces

- > Universally suitable for screws with E-profile (outer TX)
- > For loosening and tightening screws that are difficult to access
- > Robustly manufactured with rod ends on both sides
- > Low swing-back angle thanks to fine toothing



Code	No.	Profile	Pieces	Weight kg
3438147	KL-4443-30	Innern TX	4	0,8



Contents

1x Double articulated ratchet ring spanner, E6/E8, 1x Double articulated ratchet ring spanner, E10/E12
1x Double articulated ratchet ring spanner, E14/E18
1x Double articulated ratchet ring spanner, E20/E24

2150-2160 PH

3C-SCREWDRIVER SET

- > For slotted and PH Screws
- > Ergonomic 3-component handle Power-Grip³ for maximum power transmission with minimum stress on the hand
- > Hanging hole on handle for space-saving storage
- > Type of drive marked at end of the handle



Code	No.	Contents	Pieces	Weight kg
1482319	2150-2160 PH-06	3C screwdriver slotted No. 2150, 4.5.5 6.5 8 mm 3C screwdriver phillips. 2160 PH, 1 2	6	0,66
1482343	2150-2160 PH-010	3C-Screwdriver slotted No. 2150 5.5 6.5 8 3C-Screwdriver Phillips No. 2160 PH 1 2 Phase tester 3,5	10	0,825

2150-2160 PZ

3C-SCREWDRIVER SET

6 pieces

- > For slotted and crosshead screws PZ
- > 3-component Power-Grip³ handle with suspension hole
- > Ergonomic handle shape for accurate, non-tiring work
- > Positive connection of handle and blade for optimum power transmission
- > Type of drive marked at the end of the handle




Code	No.	Contents	Pieces	Weight kg
1482300	2150-2160 PZ-06	21504 5,5 6,5 8 2160PZ1 2	6	0,67

2163 TX-05

3C-SCREWDRIVER SET

5 pieces

- > For internal TX screws
- > Ergonomic 3-component Power-Grip³ handle for maximum power transmission with minimum strain on the hand
- > Hanging hole on handle for space-saving storage
- > Type of drive marked at end of the handle




Code	No.	Contents	Pieces	Weight kg
1482327	2163 TX-05	2163 TX T10 T15 T20 T25 T30	5	0,435

SK 2154 PH-06

3C-SCREWDRIVER SET WITH STRIKING CAP

6 pieces

- > For firmly seated slotted and cross-recess screws PH
- > With an additional hexagon drive on the hexagonal blade and striking cap
- > Ergonomic 3-component handle Power-Grip³ for maximum power transmission with minimum stress on the hand
- > Hanging hole on handle for space-saving storage



Code	No.	Pieces	Weight kg
1878743	SK 2154 PH-06	6	0,88

Contents

Screwdriver with striking cap slotted No. 2154SK, 4.5 5.5 6.5 8 mm
Screwdriver with striking cap Phillips No. 2160SK PH, 1.2 mm



DT 2142-06

OFFSET SCREWDRIVER SET

6 pieces

- > Most common sizes in a kit
- > For in-hex screws
- > With 2 hexagons in the same spanner width
- > Long blade with ball end



Code	No.	Contents
2998777	DT 2142-06	DT 2142.2.5 3 4 5 6 8

Pieces	Weight kg
6	0,555

H 42 CKEL-09

OFFSET ALLEN KEY SET

colour coded, 9 pieces

- › For loosening and tightening hexagon socket screws
- › Ball head enables screwing in places that are difficult to access
- › Colour coding simplifies the assignment of the correct key width
- › Abrasion-resistant powder-coated




Code	No.	Contents	Pieces	Weight kg
3297470	H 42 CKEL-09	42 CKEL 1,5 2,2,5 3 4 5 6 8 10	9	0,415

H 42 DKEL-88

OFFSET SCREWDRIVER SET

for hexagon socket screws, extra-long,
with double ball head, 8-piece

- › Most common sizes in a kit
- › 2 ball heads and extra short angle side for optimum working in confined spaces
- › Better accessibility and low overall height allow screwing without problems where normal offset screwdrivers fail
- › Rapid progress in work since the two ball ends allow protrusions to be gone round
- › Reduces the risk of injury to the fingers when working on flat surfaces



Code	No.	Contents	Pieces	Weight kg
2797186	H 42 DKEL-88	42 DKEL 2,2,5 3 4 5 6 8 10	8	0,4

666 TRXXX


TORSION BITS

- > For soft and hard bolting tasks
- > Torsion zone to protect bits under load. Peak torques are gently cushioned, which increases the lifetime
- > Bits with colour code marking

Colour coding for easier profile identification

Torsion zone to protect the bit profile

Versatile



In 50, 70 and 90 mm lengths



Torsion zone for longer service life



666 TR


TORSION BIT SET

2 pieces

- > For soft and hard bolting tasks
- > Torsion zone to protect bits under load. Peak torques are gently cushioned, which increases the lifetime
- > Bits with colour code marking




Code	No.	Contents	Length mm	Pieces	Weight kg
3517489	666 TR50 PH1-02	2x Torsions-Bit Cross recess PH 1	50	2	0,016
3517497	666 TR50 PH2-02	2x Torsions-Bit Cross recess PH 2	50	2	0,016
3517500	666 TR50 PZ1-02	2x Torsions-Bit Cross recess PZ 1	50	2	0,016
3517519	666 TR50 PZ2-02	2x Torsions-Bit Cross recess PZ 2	50	2	0,016
3517527	666 TR50 T15-02	2x Torsions-Bit-Set TX T15	50	2	0,016
3517535	666 TR50 T20-02	2x Torsions-Bit-Set TX T20	50	2	0,016
3517543	666 TR50 T25-02	2x Torsions-Bit-Set TX T25	50	2	0,016
3517551	666 TR50 T30-02	2x Torsions-Bit-Set TX T30	50	2	0,016
3517578	666 TR50 IN3-02	2x Torsions-Bit Hex IN 3	50	2	0,016
3517586	666 TR50 IN4-02	2x Torsions-Bit Hex IN 4	50	2	0,016
3517594	666 TR50 IN5-02	2x Torsions-Bit Hex IN 5	50	2	0,016
3517608	666 TR50 IN6-02	2x Torsions-Bit Hex IN 6	50	2	0,016
3517616	666 TR70 PH1-02	2x Torsions-Bit Cross recess PH 1	70	2	0,028
3517624	666 TR70 PH2-02	2x Torsions-Bit Cross recess PH 2	70	2	0,028
3517632	666 TR70 PZ1-02	2x Torsions-Bit Cross recess PZ 1	70	2	0,028
3517640	666 TR70 PZ2-02	2x Torsions-Bit Cross recess PZ 2	70	2	0,028
3517659	666 TR70 T15-02	2x Torsions-Bit-Set TX T15	70	2	0,028
3517667	666 TR70 T20-02	2x Torsions-Bit-Set TX T20	70	2	0,028
3517675	666 TR70 T25-02	2x Torsions-Bit-Set TX T25	70	2	0,028
3517683	666 TR70 T30-02	2x Torsions-Bit-Set TX T30	70	2	0,028
3517691	666 TR70 IN3-02	2x Torsions-Bit Hex IN 3	70	2	0,028
3517705	666 TR70 IN4-02	2x Torsions-Bit Hex IN 4	70	2	0,028
3517713	666 TR70 IN5-02	2x Torsions-Bit Hex IN 5	70	2	0,028
3517721	666 TR70 IN6-02	2x Torsions-Bit Hex IN 6	70	2	0,028
3517748	666 TR90 PH1-02	2x Torsions-Bit Cross recess PH 1	90	2	0,036
3517756	666 TR90 PH2-02	2x Torsions-Bit Cross recess PH 2	90	2	0,036
3517764	666 TR90 PZ1-02	2x Torsions-Bit Cross recess PZ 1	90	2	0,036
3517772	666 TR90 PZ2-02	2x Torsions-Bit Cross recess PZ 2	90	2	0,036
3517780	666 TR90 T15-02	2x Torsions-Bit-Set TX T15	90	2	0,036
3517799	666 TR90 T20-02	2x Torsions-Bit-Set TX T20	90	2	0,036
3517802	666 TR90 T25-02	2x Torsions-Bit-Set TX T25	90	2	0,036
3517810	666 TR90 T30-02	2x Torsions-Bit-Set TX T30	90	2	0,036
3517829	666 TR90 IN3-02	2x Torsions-Bit Hex IN 3	90	2	0,036
3517837	666 TR90 IN4-02	2x Torsions-Bit Hex IN 4	90	2	0,036
3517845	666 TR90 IN5-02	2x Torsions-Bit Hex IN 5	90	2	0,036
3517853	666 TR90 IN6-02	2x Torsions-Bit Hex IN 6	90	2	0,036



NEW

**699 S
BIT HOLDER 1/4"**

- > With magnetic holder and spring mechanism for releasing the bits
- > Extremely slim bit adapter



Code	No.	Drive connector hexagon female inch	Length mm	Weight kg
3517861	699 S	1/4"	67	0,027

NEW

**673 TR 6,3
TORSION
ADAPTER 1/4"**

- > For soft and hard bolting tasks
- > Torsion zone to protect bits under load. Peak torques are gently cushioned, which increases the lifetime
- > For the insertion of 1/4" sockets



Code	No.	Length mm	Width mm	Weight kg
3517888	673 TR 6,3	50	8,1	0,015

666-032

TORSION BIT BOX

32 pieces

- > Extensive range with 25, 50, 70 mm bits
- > Bits with torsion zone to protect the bit profile from wear and tear
- > Color coding simplifies profile identification and assignment
- > Bit holder modules can be swiveled 45°+ 90°
- > Integrated storage box for accessories

Empty box for further accessories

Torsion zone protects bits from wear and tear



Extensive assortment

Colour coding for easier profile identification



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3517470	666-032	1/4" Bits, 25mm: 1/4" Cross recess PH 1 2 2 3, 1/4" Cross recess PZ 1 2 3 1/4" TX T10 T15 T20 T25 T30, 1/4" IN 3 4 5 6 1/4" Bits, 50mm: 1/4" Hexagon 4 5 6 mm, 1/4" Cross recess PH 2 1/4" Cross recess PZ 2, 1/4" TX T15 T20 T25 1/4" Bits, 90mm: 1/4" Cross recess PH 1 2, 1/4" Cross recess PZ 1 2 1/4" TX T15 T20 T25, BIT accessory box empty, Bit holder 1/4", One-touch Slim Lock, L.66,5mm	153	117	38	32	0,47



666-042

TORSIONS BIT SET

42 pieces

- › Torsion zone to protect bits under load. Peak torques are gently cushioned, which increases the lifetime
- › Incl. extremely slim, self-locking magnetic bit holder with quick change function
- › For soft and hard bolting tasks
- › Suitable for use with Impact sockets
- › Colour code marking

Code	No.	Length mm	Pieces	Weight kg
3100316	666-042	190	42	0,67

Contents

1/4" Bits, 25mm:
 1/4" slotted 5,5, 6,5 mm
 1/4" PH 1 2 2 3
 1/4" PZ 1 2 2 3
 1/4" TX T10 T15 T20 T25 T30 T40
 1/4" Bits, 50mm:
 1/4" hexagon 3 4 5 mm
 1/4" PH 1 2 2 3
 1/4" PZ 1 2 2 3
 1/4" TX T10 T15 T20 T25 T30
 1/4" Bits, 88,9mm:
 1/4" slotted 5,5 mm
 1/4" PH 2
 1/4" PZ 2
 1/4" TX T25
 Drive adapter 1/4" hexagonal x 1/4" square, L. 50mm
 Drive adapter 1/4" hexagonal x 3/8" square, L. 50mm
 Socket, magnetic, with 1/4" hex drive 8mm, L.67mm
 Socket, magnetic, with 1/4" hex drive 10mm, L.67mm
 Socket wrench insert, magnetic, with 1/4" hex drive 13mm, L.67mm
 Bit-Holder 1/4"
 One-touch Slim Lock, L.66,5mm



666-045

TORSIONS BIT SET

45 pieces

- › Comprehensive range with the most common bit profile sizes
- › Bits with torsion zone to protect the bit profile from wear
- › Colour coding simplifies profile recognition and assignment
- › 1/4" square adapter for more flexibility



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3459519	666-045	1/4" Screwdriver bits PH 1 1 2 2 2 2 3 3, 1/4" Screwdriver bits PZ 1 1 2 2 2 2 3 3 1/4" TX T10 T10 T15 T15 T20 T20 T20 T20 T25 T25 T25 T25 T30 T30 T40 T40 1/4 Internal hex 3 3 4 4 5 5 6 8 mm Socket, magnetic, with 1/4" hexagon drive 8mm, L.67mm Socket, magnetic, with 1/4" hexagon drive 10mm, L.67mm Socket, magnetic, with 1/4" hexagon drive 13mm, L.67mm Drive adapter 1/4" hexagonal x 1/4" square, L. 50mm, 1/4" Bit-Adapter with safety device	190	120	45	45	0,57

2093 U-10

1/4" REVERSIBLE RATCHET

- > Suitable for robust use in industry and commercial vehicles
- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets and accessories with square drive as per DIN 3120 - C 6.3, ISO 1174, ball locking device



Code	No.	Drive connector square	Drive connector square mm	Return angle
6180470	2093 U-10	1/4"	6,3	15°

Total length mm	Ratchet head height mm	Weight kg
130	21,5	0,109

3093 U-10

REVERSIBLE RATCHET 3/8"

- > Suitable for robust use in industry and commercial vehicles
- > Acc. to DIN 3122, ISO 3315
- > With push button release
- > For hand-operated sockets and accessories with square drive as per DIN 3120 - C 10, ISO 1174, ball locking device



Code	No.	Drive connector square	Drive connector square mm	Return angle
6236950	3093 U-10	3/8"	10	11,25°

Total length mm	Ratchet head height mm	Weight kg
200	30,2	0,254



1993 TU-10

1/2" TELESCOPIC REVERSIBLE RATCHET

- > Long lever arm for high torques, max. torque 600 Nm
- > With push-button release
- > For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- > Locking mechanism can be operated with one hand



Code	No.	Square drive inch	Square drive mm	variable length mm
3041859	1993 TU-10	1/2"	12,5	400-600

Return angle	Number of teeth	Weight kg
7,5°	48	1,31

1993 U-10 T REVERSIBLE RATCHET 1/2"

- > For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- > Suitable for robust use in industry and commercial vehicles
- > Acc. to DIN 3122, ISO 3315
- > With lowered switch lever
- > With push-button release



Code	No.	Drive connector square	Drive connector square mm	Return angle
6142620	1993 U-10 T	1/2"	12,5	7,5°
Total length mm	Ratchet head height mm	Number of teeth	Weight kg	
270	39	48	0,598	

KL-4007-411 3/4" SWIVEL HANDLE

- > Extra long version (980 mm) with 180° joint
- > Suitable for extremely tight screws



Code	No.	Drive connector square	Drive connector square mm	Total swivel angle
2941554	KL-4007-411	3/4"	20	180°
Load (max.) Nm	Length mm	Weight kg		
1.050	980	3,5		

S 2032-05 1/4" - 3/4" ADAPTOR SET

5 pieces

- > With reducer and adaptor pieces from 1/4" to 3/4"
- > Reducers 1930, 3020
- > Enlarger pieces 2030, 3019, 1932
- > Please note the maximum load capacities of the outer square edge in accordance with DIN 3123, ISO 33



Code	No.	Contents
1729071	S 2032-05	2030 1/4" - 3/8" Adaptor (max. 62 Nm) 3019 3/8" - 1/2" Adaptor (max. 202 Nm), 1932 1/2" - 3/4" Adaptor (max. 512 Nm) 3020 3/8" - 1/4" Reducer (max. 62 Nm), 1930 1/2" - 3/8" Reducer (max. 202 Nm)



Length mm	Width mm	Height mm	Pieces	Weight kg
134	51	51	5	0,34

KL-4080-100

SOCKET SPANNER INSERTS

MAGNETIC

10 pieces

- > Special magnetic inserts with high holding force for inserting into conventional sockets
- > Suitable for hexagon sockets and hexagonal sockets
- > Can be used with metric spanner widths from 10 to 19 mm
- > Suitable for holding screws and nuts securely

For conventional sockets

Effortless wrenching process



Fit 6 and 12-point sockets



Code No.
3468941 KL-4080-100

Pieces Weight kg
10 0,035

KL-4007-500

UNIVERSAL SPANNER EXTENSION

- > For easy extension of open-end spanners, combination spanners, offset combination spanners, and angled pin spanners
- > Required, for example, when loosening stuck screw connections in places which are difficult to access



Code	No.	Length mm	Weight kg
3406504	KL-4007-500	380	0,65

D 20 TMU-10

SOCKET SET 1/4"

39 pieces

- > With hand-operated 12-sided UD profile sockets and bits in standard profiles
- > With actuation tools
- > With robust lever-change reversible ratchet
- > In plastic box



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
1815660	D 20 TMU-10	200	120	38	40	0,767

Contents


Ratchet 2093 U-10, Inserts D 20 4 5 6 7 8 9 10 11 12 13, 680 4 6,5, 685 3 4 5 6 8, 685 X 5 6 8 687 TX T10 T15 T20 T25 T27 T30 T40, 690 1 2, 690 PZD 1 2 3, Accessories 620 Bit adapter 1/4" hex x 1/4" square, 673 Insert holder 1/4" hex - 1/4" square 6,3, 676 Multi-handle 699 Bit holder 1/4" hex, 2090-4 1/4" extension, 2095 Cardan joint

30 IMU-10

3/8" SOCKET SET

26 pieces

- > With hand-operated hexagonal UD profile sockets
- > With actuation tools
- > U-10 with reversible lever change ratchet
- > In GEDORE blue sheet steel case



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
6229740	30 IMU-10	320	210	55	26	3,1

Contents

Reversible ratchet 3/8" No. 3093 U-10 200 mm
 Cross handle 3/8" No. 3087
 Extension 3/8" No. 3090-5 125 mm
 Extension 3/8" No. 3090-10 250 mm
 Cardan joint 3/8" No. 3095 51 mm
 Socket wrench insert 3/8" No. 30 hexagon 6 7 8 9 10 11 12 13 14 15 16 17 19 mm
 Screwdriver bit socket 3/8" No. IS 30 slot 5.5x1.8x1.2 mm
 Screwdriver bit socket 3/8" No. IN 30 hexagon socket 4.5 6 mm
 Screwdriver bit socket 3/8" No. IKS 30 Phillips PH 2.3

IN 19 PM

SCREWDRIVER SET 1/2"

9 pieces

- > For in-hex screws
- > In GEDORE blue sheet steel case



12,5 1/2" mm

Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
6156250	IN 19 PM	281	79	35	9	1,362

Contents

5 6 8 9 10 12 14 17

19 KMU-20

1/2" SOCKET SET

13 pieces

- > With hand-operated hexagonal UD profile (No. 19) sockets
- > With actuation tools
- > With robust lever-change reversible ratchet, with push-button release
- > In GEDORE blue sheet steel case



1/2" 12,5 UNIT DRIVE mm

Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
2545810	19 KMU-20	320	125	56	13	2,6

Contents

Ratchet 1993 U-20

Inserts 19 10 12 13 14 15 16 17 18 19 22 24, Accessories 1/2" extension 1990-5

19 BMC 20

1/4"+1/2" SOCKET SET

69 pieces

- > The GEDORE plastic ratchet box is suitable for industry, automotive as well as DIY & hobbyists
- > It is equipped with a black/blue foam check tool insert that makes missing tools easily visible
- > The droplet-like head of the reversible ratchets make this set ideal for the tightest of bolting positions
- > The reversible ratchets feature a dual material handle, lever change and press-button release for easy, rapid and safe working
- > Depending on the wrench size, the sockets can be extended up to 375 mm in the drive depth



1/4" 6,3 1/2" 12,5 mm

Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3108902	19 BMC 20	460	355	86	69	5,7

Contents

1/4" + 1/2" Ratchets, 1/4" 2093 U-20 Reversible ratchet

1/2" 1993 U-20 Reversible ratchet, 1/4" + 1/2" Sockets

1/4" Hexagonal sockets 4 4,5 5,5 6 7 8 9 10 11 12 13 14 mm

1/2" Hexagonal sockets 15 16 17 18 19 21 22 24 27 30 32 mm

1/2" Hexagonal sockets long 10 13 17 19 mm

1/4" Bits, Hexagon socket 2 3 4 5 6 8 mm, TX; with bore T10 T15 T20 T25 T27 T30 T40

Slotted 4 5 5,5 6 8 mm, PH 1 2 3, PZ 1 2 3

Multi-tooth XZN M4 M5 M6 M8, 1/4" + 1/2" Accessories

1/4" Extension 50 100 mm, Adaptor 1/4" x 1/4"

Bit-Holder 1/4", T-handle 1/4", Universal joint 1/4"

Extension 1/2" 125 250 mm, Universal joint 1/2", T-Handle 1/2"

19 V20U-10

1/4"+1/2" SOCKET SET

50 pieces

- > With forged, tempered, manually operated double hex sockets
- > Nominal size 6.3 (1/4") with extra fine-toothed reversible ratchet U-3
- > Nominal size 12.5 (1/2") with robust lever-operated reversible ratchet, with push-button release U-10 T
- > In GEDORE blue sheet steel case




Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
6157490	19 V20 U-10	Ratchet, 1/2" 1993 U-10 T, 1/4" 2093 U-3 Inserts 1/2", 19 10 11 12 13 14 15 17 19 22 24 27 30, IN 19 7 8 10 12 14, IS 19 8 10 IKS 19 3, Inserts 1/4", 20 4 4.5 5 5.5 6 7 8 9 10 11 13, IN 20 3 4 5 6, IS 20 4 5.5 6.5, IKS 20 1 2 Accessories, 1/2" extension 1990-5-10, 1/2" universal joint 1995, 1/4" square plug-in handle 2098 1/4" extension 2090-2-4, 1/4" cross handle with slide 2087, 1/4" universal joint 2095	425	280	57	50	6,2

D 32 EMU-2

3/4" SOCKET SET

14 pieces

- > Hand-operated 12-point UD profile (No. D 32) sockets
- > With actuation tools
- > U-2 with fine toothed, dial change ratchet
- > In GEDORE blue sheet steel case



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
6280420	D 32 EMU-2	525	203	73	14	11,09

Contents

Ratchet 3293 U-2, Inserts D 32 22 24 27 30 32 36 38 41 46 50
Accessories, Cross handle with sliding piece 3287, 3/4" extension 3290-8-16

D 21 EMU-10

SOCKET SET 1"

15 pieces

- > Hand-Operated 12-corner UD-profile sockets
- > With actuation tools
- > With robust lever-change reversible ratchet
- > In GEDORE blue sheet steel case



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
6181600	D 21 EMU-10	765	289	105	15	32,8

Contents

Ratchet K 2193 U-10 K, Inserts D 21 36 41 46 50 55 60 65 70 75 80
Accessories 1" extension 2190-8-16, 1" cross handle 2187 G, 2187 K


SL

SOCKET BAR MAGNETIC

empty

- > Socket bar with slots for 1/4", 3/8", 1/2" sockets and bits (depending on model)
- > Socket bar 1/4" + BIT including accessory holders for ratchets, extensions, adapters, etc.
- > 'Flip-Lock' locking mechanism
- > Optical detection of the locking status through tilt position
- > 2 strong magnets enable secure attachment to the strip on metal objects
- > Anti-slip tape on the back of the slat prevents the slat from slipping
- > 2 drill holes allow fixed mounting on non-metallic objects

Visible locking status



Sockets are visible and at hand with tilt position

Flip-Lock for securely locking sockets



1/4" 6,3 3/8" 10 1/2" 12,5 

Code	No.	Sockets	Drive connector	Length mm	Width mm	Height mm	Weight kg
3520773	SL 1910	10	1/2"	340	30	29	0,16
3520757	SL 2012	10	1/4"	340	30	34	0,16
3520765	SL 3010	10	3/8"	340	30	28	0,155
3520781	SL 6620	24	1/4"	340	30	34	0,15

K 19-007

1/2" IMPACT SOCKET SET

7 pieces

- > 6 Impact sockets suitable for all common compressed air and electric screwdrivers
- > With square drive as per DIN 3121 - G 12.5, ISO 1174
- > 1 Impact socket extension 75mm with ball lock on the square
- > Surface phosphated
- > In a plastic box



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3437426	K 19-007	215	120	50	7	1,1

Contents

1/2" Impact sockets hexagon 10 13 17 19 21 24 mm
1/2" Impact socket extension KS, 75 mm

K 19-028

1/2" IMPACT SOCKET SET

5 pieces

- > 5 Impact sockets suitable for all common pneumatic and electric screwdrivers
- > With square drive as per DIN 3121 - G 12.5, ISO 1174
- > In plastic box



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
1646923	K 19-028	215	120	50	5	0,749

Contents

1/2" Impact sockets hexagon 10 13 17 19 24 mm

K 19-015

1/2" IMPACT SOCKET SET

15 pieces

- > Comprehensive 1/2" Impact socket set from 10 - 30mm
- > Clear marking of the wrench widths in the case
- > Suitable for machine and manual operation
- > In compact plastic case



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3459187	K 19-015	1/2" Impact sockets hexagon 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 mm	260	146	60	15	2,14



K 19 L-010

1/2" IMPACT SOCKET SET

long, 10 pieces

- > 10-piece set that covers the most common wrench sizes
- > Even deeper lying screws can be reached without additional extension
- > Suitable for machine and manual operation
- > Clear marking of the wrench widths in the case
- > In compact plastic case



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3459195	K 19 L-010	360	140	60	10	2,97

Contents

1/2" Deep Impact sockets, hexagon 10 13 16 17 18 19 21 22 24 27 mm

K 32-008

3/4" IMPACT SOCKET SET

8 pieces

- > Basic 3/4" impact socket set with the most common sizes from 24 - 41mm
- > Clear marking of the wrench widths in the case
- > Suitable for machine and manual operation
- > In compact plastic case



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3459209	K 32-008	285	221	80	8	3,36

Contents


3/4" Impact sockets hexagon 24 27 30 32 36 41 mm
Safety ring, Safety pin

TF-K

TORQUE WRENCH TORCOFIX TF-K

1-850 Nm / 0,75-630 lbf·ft

- > Controlled screw tightening in the range of 1 - 850 Nm / 0,75 - 630 lbf·ft
- > Incl. traceable test certificate (DIN EN ISO 6789-2:2017)
- > For controlled bi-directional tightening
- > New ergonomic handle, shaped according to the natural grip position of the hand
- > Vertical alignment of the scale, torque adjustment therefore suitable for left and right handers
- > Scale line positioned directly above the scale prevents reading errors (parallax errors)
- > Unit inscription integrated in the scale frame and also protected against abrasion via viewing window



223 - 1.390 mm



Code	No.	Type	Square drive inch	Square drive metric mm	Nm	vernier Nm	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Weight kg
3288226	TF-K5	Mushroom head	1/4"	6,3	1-5	0,025	39,8	17,5	223	35,0	25,3	0,33
3288234	TF-K25	Mushroom head	1/4"	6,3	5-25	0,1	39,8	17,5	273	35,0	25,3	0,38
3288242	TF-K50	Mushroom head	3/8"	10	10-50	0,25	39,8	17,5	303	35,0	25,3	0,42
3278379	TF-K100	Mushroom head	1/2"	12,5	20-100	0,5	44	22	400	44,0	36	0,97
3278387	TF-K200	Mushroom head	1/2"	12,5	40-200	1	45	22	495	44,0	36	1,18
3278395	TF-K300	Mushroom head	1/2"	12,5	60-300	1	47	22	585	46,0	36	1,37
3278409	TF-K400	Push-through square	3/4"	20	80-400	1	52	31,25	690	62,5	31	1,93
3278492	TF-K550	Push-through square	3/4"	20	110-550	1	51	34,5	965	69,0	31	3,6
3278514	TF-K850	Push-through square	3/4"	20	250-850	1	51	34,5	1.390	69,0	31	4,8

3550-UK-LS4

1/2" TORQUE WRENCH TORCOFLEX UK SET

40-200 Nm, 5 pieces

- > Tried-and-tested torque wrench in the 40-200 Nm range with test certificate
- > Controlled clockwise tightening, bi-directional reversible ratchet
- > Classified as per DIN EN ISO 6789-2:2017; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%
- > Highly suited for car tyre changing given its 1/2" extension and impact sockets with protective sleeve in the 17, 19 and 21 mm sizes



Code	No.	Type	Square drive inch	Square drive metric mm	Nm	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Pieces	Weight kg
3107027	3550-UK-LS4	Reversible ratchet	1/2"	12,5	40-200	44	21,3	499	42,5	22	5	2,398

Contents

Torque wrench TORCOFLEX 40-200 Nm No. 3550-20 UK, Extension No 1990-5, Impact socket set 1/2", 3 pieces

8563-N-05

3/4" TORQUE WRENCH DREMOMETER DNR SET

155-760 Nm

- > Torque spanner in the tightening range 155-760 Nm with test certificate; with extension tube
- > Controlled clockwise tightening; 3/4" output drive; plus clockwise rotating 3/4" add-on ratchet
- > Error-free operation due to length independence
- > Classified as per DIN EN ISO 6789-2:2017; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%
- > Vernier scale - resolution 1.0 Nm



Code	No.	Type	Square drive inch	Square drive metric mm	Version
3107043	8563-N-05	Single square	3/4"	20	Torque wrench with extension tube
Nm	Height mm	Housing - square centre spacing mm	Length mm	Weight kg	
155-760	35	22,5	812	3,005	

Contents

DREMOMETER DN 3/4" with vernier 155-760Nm No. 8563-N-00
Extension tube DR/DX ALU No. 8571-80, Ratchet head No. 754-04

8571-01

TORQUE WRENCH DREMOMETER

520-1000 Nm / 380-730 lbf-ft

- > Controlled screw tightening in the range of 520 - 1000 Nm / 380 - 730 lbf-ft
- > For use in almost all industrial manufacturing areas
- > Audible and perceptible, automatic short-path triggering
- > Error-free operation - no change in torque values when operated outside the handle. Not length dependent
- > Double scale Nm / lbf-ft
- > Highest accuracy max. deviation of +/- 3
- > Certificate according to DIN EN ISO 6789:2017 part 2
- > Save effort using the optional extension tubes



Code	No.	Type	Square drive inch	Square drive metric mm	Version	
7694010	8571-01	Single square rigid	3/4"	20	Torque wrench with extension tube	
Nm	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Weight kg
520-1000	60	22,5	812	45,0	35	4,25

Contents

ALU extension tube No. 8571-80

754-04

RATCHET HEAD DREMOMETER

- > In combination with the DREMOMETER for controlled right-hand tightening incl. ratchet mechanism
- > With 3/4" square drive
- > Made of chrome-vanadium steel
- > Max. Continuous load capacity of connecting square according to DIN EN ISO 6789-2017 or max. load of the receptacle



Code	No.	Drive square inch	Drive square metric	Continuous load capacity	Weight kg
7680730	754-04	3/4"	20	3/4" = 1000 N-m	1

QSN 600 FH

TORQUE SCREWDRIVER TYPE QSN

1-6 Nm

- > Adjustable torque wrench with mono scale: Nm
- > 1/4" hexagon socket for 1/4" bits - C 6.3
- > With adaptor also suitable for 1/4" square drive sockets as per DIN 3124
- > Overtightening of the screw is not possible
- > Test certificate acc. to DIN EN ISO 6789
- > EPA (Electrostatic Protected Area) compliant
- > Models No. QSN600 FH + QSN900 FH incl. additional cross handle



Code	No.	Drive mount inch	Drive mount metric mm	Nm	Total length mm	Weight kg
1400169	QSN 600 FH	1/4"	6,3	1-6	196	0,335

DVI-20Z

TORQUE MULTIPLIER DREMOPLUS ALU

2000 Nm / 1500 lbf-ft

- > Industry, construction sites, commercial vehicle and car workshops, agricultural technology, construction machinery
- > Bridge, ship, aircraft and railway construction, refineries
- > Output square with hole for Impact sockets with locking pin and ring
- > Mechanical hand torque multiplier for controlled screw tightening and unloosening screw connections
- > Accuracy better than +/- 3%
- > Incl. sturdy transport case



Code	No.	Output torque (max.) Nm	Output torque (max.) lbf-ft	Multiplication ratio	Version reaction arm	Output square	Weight kg
2653265	DVI-20Z	2000	1500	1:4	Z-Form, cranked	1"	1,8

1530

SERVICE TROLLEY

- > Three large, open-access storage shelves, 200kg total load capacity
- > Flexibility due to height-adjustable middle shelf surface
- > Optimal for mobile use thanks to easy-running swivel castors
- > Compatible with GEDORE tool sets (ES or CT modules) for different applications



Code	No.	Length mm	Width mm	Height mm	Max. load-bearing capacity kg	Number of shelves	Weight kg
3437507	1530	1.075	480	975	200	3	35

WSL-M6

TOOL TROLLEY WORKSTER SMARTLINE

with 6 drawers

- > Work platform with ABS plastic cover with frontal flattening and roll protection edge
- > Side walls with Euro perforation 10 x 38 mm
- > Single pull-out stop prevents more than one drawer from being opened, one-hand operation
- > 6 wide drawers (W 480 x D 400 mm) fully extending
- > Load capacity per drawer 20 kg



Code	No.	RAL	Length mm	Width mm	Height mm
3100707	WSL-M6	GEDORE blue, RAL 5017	625	510	900
Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg		
5x Type 1, H = 80 mm 1x Type 2, H = 160 mm	300	6	48		

WSL-L7



TOOL TROLLEY WORKSTER SMARTLINE

with 7 drawers

- > Working platform with cover made of ABS plastic with front flattening and anti-roll edge, as well as small additional storage compartments
- > Side walls with Euro perforation 10 x 38 mm
- > Single pull-out stop prevents more than one drawer from being opened, one-hand operation
- > 7 wide drawers (W 640 x D 400 mm) fully extending
- > Load capacity per drawer 20 kg
- > Total load capacity 400 kg



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers
2977311	WSL-L7	RAL 5017	870	505	1.045	5x Type 1, H = 80 mm 2x Type 2, H = 162,5 mm
Max. load-bearing capacity kg	Number of drawers	Crosswise divider	Lengthwise divider	Weight kg		
400	7	optionally available	optionally available	85		



WSL-M-TS-172

TOOL TROLLEY WORKSTER

with tool set 172 pieces

- > Perfect tool combination in check tool modules for industry, trade and the automotive sector
- > Non-slip, with recessed grip
- > Resistant to oil and grease
- > Metric tool sizes
- > In tool trolley No. WSL-M6



Code	No.	Length mm	Width mm	Height mm
3100197	WSL-M-TS-172	625	510	900
Drawers	Number of drawers	Pieces	Weight kg	
5x Type 1, H = 80 mm	6	172	76,9	
1 x Type 2, H = 160 mm				

Contents

Combination spanner No. 1 B,
8 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm
Socket No. C19,
8 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 mm
1/2" Screwdriver socket hexagon No. IN19, 5 6 7 8 9 10 12 14 17 19 mm
1/2" Reversible ratchet No. 1993 U-10 T
1/2" Extension No. 1990, 75 125 250 mm
1/2" Extension No. 1990 M, with holding magnet
Bit socket box with ratchet 1/4" 35pcs, No. 666-U-20
Torsion bit set No. 666-042
1/4" Ratchet screwdriver SilentGEAR No. 2675 with bit holder
Offset screwdriver No. H 42-10, hexagon 1.3 1.5 2.2.5 3 4.5 6 8 10 mm
3C-Screwdriver No. 2150, 4 5.5 6,5 8 mm
3C-Screwdriver No. 2160 PH 1 2
Universal pliers No. 142 10 TL, 10"
Multiple pliers No. 8133-200 JC, 200 mm
Power side cutters No. 8316-180 JC, 180 mm
Voltage tester slot No. 4615 3, 220-250 V, 3mm
Engineer's hammer No. 4 E-500, 500 g
Twist drill set No. 8550-024,
Ø 1 1.5 2 2.5 3 3.5 4 4.5 5 5.5 6 6.5 7 7.5 8 8.5 9 9.5 10 10.5 mm






WSL-L-TS-147

TOOL TROLLEY WORKSTER

147 pieces

- > Perfect tool combination in check tool modules for industry, trade and the automotive sector
- > GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- > Non-slip, with recessed grip
- > Resistant to oil and grease
- > Metric tool sizes
- > In tool trolley No. WSL-L7



Code	No.	Length mm	Width mm	Height mm	Drawers	Number of drawers	Pieces	Weight kg
2980312	WSL-L-TS-147	870	505	1.045	5x Type 1, H = 80 mm 2x Type 2, H = 160 mm	7	147	97

Contents

1/4" Reversible ratchet No. 2093 U-20, 1/4" Wobble extension No. 2090 KR-4, 1/4" T-handle No. 2087, 1/4" Socket UD-profile No. D 20 4 5 5.5 6 7 8 9 10 11 12 13
 1/4" Socket No. TX 20 E4 E5 E6 E7 E8 E10, 1/4" Screwdriver bit slotted No. 680 4.5 5 6.5 8, 1/4" Screwdriver bit in-hex No. 685 2.5 3 4 5 6
 1/4" Screwdriver bit XZN No. 685 X 5 6 8, 1/4" Screwdriver bit PH No. 690 1 2 3, 1/4" Screwdriver bit PZ No. 690 PZD 1 2 3, 1/4" Screwdriver bit TX No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40
 1/4" Multi handle No. 676, 1/4" Bit holder No. 699, 1/2" Reversible ratchet No. 1993 U-20, 1/2" Extension No. 1990-2.1/2, 1/2" Cardan extension No. 1990 KR-5 -10
 1/2" Socket insert No. D 19 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32, 1/2" Screwdriver socket in-hex No. IN 19 5 6 7 8 9 10 12 14
 Insert holder 1/4" hexagon - 1/4" square No. 673 6.3, Bit-Adapter 1/4" hexagon - 1/4" square No. 620, Combination spanner UD-profile No. 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
 Allen Key set No. PH 42-88 (2-10 mm), 3C-Screwdriver slotted No. 2154SK 3.5 5.5 6.5 8, 3C-Screwdriver PH No. 2160SK PH 1 2, Universal pliers No. 142 10 TL
 Power combination pliers No. 8250-180 JC, Multiple pliers No. 8133-200 JC, Power side cutters No. 8316-180 JC, Engineer's hammer No. 4 E-500
 Centre punch No. 100-12, Pin punch No. 119-1.5-3 -4, Flat chisel No. 97-250, Cross-cut chisel No. 98-125, Drift punch No. 99 12-5, Twist drill set No. 8550-024




WSL-L-TS-308

TOOL TROLLEY WORKSTER

with 308-piece tool assortment

- > Perfect tool combination in check tool modules for industry, trade and the automotive sector
- > Metric tool sizes
- > Non-slip, with recessed grip
- > Resistant to oil and grease
- > Metric tool sizes
- > In tool trolley No. WSL-L7



Code	No.	Length mm	Width mm	Height mm
2980347	WSL-L-TS-308	870	505	1.045
Drawers		Number of drawers	Pieces	Weight kg
5x Type 1, H = 80 mm		7	308	105,6
2x Type 2, H = 160 mm				

Contents

- 1/4" Reversible ratchet No. 2093 U-20, 1/4" Wobble extension No. 2090 KR-4
- 1/4" T-handle No. 2087, 1/4" Socket UD-profile No. D 20 4 5 5.5 6 7 8 9 10 11 12 13
- 1/4" Socket insert No. TX 20 E4 E5 E6 E7 E8 E10
- 1/4" Screwdriver bit slotted No. 680 4 5.5 6.5 8
- 1/4" Screwdriver bit hex No. 685 2.5 3 4 5 6
- 1/4" Screwdriver bit XZN No. 685 X 5 6 8, 1/4" Screwdriver bit PH No. 690 1 2 3
- 1/4" Screwdriver bit PZ No. 690 PZD 1 2 3
- 1/4" Screwdriver bit TX No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40
- 1/4" Multi handle No. 676, 1/4" Bit holder No. 699, 1/2" Reversible ratchet No. 1993 U-20
- 1/2" Extension No. 1990-2.1/2, 1/2" Wobble extension No. 1990 KR-5 -10
- 1/2" Socket No. D 19 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32
- 1/2" Screwdriver socket in-hex No. IN 19 5 6 7 8 9 10 12 14
- 1/2" Screwdriver socket XZN No. INX 19 6 8 10 12
- 1/2" Screwdriver socket in-hex No. IN 19 L 5-90 6-90 8-90 10-140 12-140 14-140, long
- 1/2" Screwdriver socket TX No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60
- 1/2" Screwdriver socket TX No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, long
- 1/2" Impact socket bit with protective sleeve No. K 19 L5 17 19 21
- 5/16" Screwdriver bit slot No. 880 7 8 9 12 ST-40
- 5/16" Screwdriver bit in-hex No. 885 5 6 8 10
- 5/16" Screwdriver bit PH No. 890 1 2 3 4
- 3/8" Reversible ratchet No. 3093 U-20 Recoiless hammer No. 248
- 3/8" Cardan extension No. 3090 KR-5 -10
- 3/8" Socket wrench UD-profile No. D 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
- 3/8" Screwdriver socket in-hex No. IN 30 5 6 7 8 10
- 3/8" Screwdriver socket XZN No. INX 30 5 6 8 10
- 3/8" Screwdriver socket TX No. ITX 30 T20 T25 T27 T30 T40 T45 T50
- Insert holder 1/4" hexagon - 1/4" square No. 673 6,3
- Bit-Adapter 1/4" hexagon - 1/4" square No. 620
- Adaptor 5/16" hexagon - 1/2" square No. KB 819
- Open-end spanner with ring ratchet UD-profile No. 7 R 8 10 12 13 14 15 16 17 18 19
- Combination spanner UD-profile No. 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
- Double open-end spanner No. 6 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 24x27
- Double ring-end spanner UD-profile No. 2 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22
- Double ring-end spanner hexagon No. 400 8x10 10x11 12x14 13x15 17x19, open
- Offset screwdriver set No. PH 42-88 (2-10 mm), Offset screwdriver set No. H 43 TX-09
- 3C-Screwdriver slotted No. 2154SK 3.5 5.5 6.5 8
- 3C-Screwdriver PH No. 2160SK PH 1 2
- 3C-Screwdriver TX No. 2163 TX T10 T15 T20 T25 T30 T40
- Socket wrench with 3C handle hexagon No. 2133 5.5 6 7 8 9 10
- Universal pliers No. 142 10 TL, Power combination pliers No. 8250-180 JC
- Multiple pliers No. 8133-200 JC, Power side cutters No. 8316-180 JC
- Circlip pliers for external retaining rings No. 8000 A 1 A 2 A 21
- Circlip pliers for internal retaining rings No. 8000 J 1 J 2 J 21
- Engineer's hammer No. 4 E-500, Centre punch No. 100-12, Pin punch No. 119-1,5 -3 -4
- Flat chisel No. 97-250, Cross-cut chisel No. 98-125, Drift punch No. 99 12-5
- Twist drill set No. 8550-024, Hacksaw No. 407, Grip pliers 10" No. 137 10
- Steel tape measure, 5m No. 4534-5, Screw remover 1/2" No. K 1900, Cable knife No. 0063-08
- Wire brush No. 646, Pocket vernier caliper No. 710, Key file set No. 8728
- Bolt extractor set No. 8551-55, Gasket scraper No. 133 K
- Feeler gauge set, fan pattern No. 702 20 M



WHL-L7

TOOL TROLLEY WORKSTER

with 7 drawers

- > Working platform with cover made of ABS plastic with front flattening and anti-roll edge, as well as small additional storage compartments
- > Stainless steel insert in top
- > 5 flat, wide drawers (W 640 x D 400) with full extension
- > 2 high, wide drawers (W 640 x D 400) with full extension
- > Load capacity per drawer 40 kg
- > Total load capacity 500 kg



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3033708	WHL-L7	GEDORE blue, RAL 5017	785	510	1.045	5x Type 1, H = 80 mm 2x Type 2, H = 160 mm	500	7	84



WHL-L7-TS-147

TOOL TROLLEY WORKSTER

147 pieces

- > Tool set in check tool modules (CT) for industry, trade and the automotive sector
- > Completeness check through 2-coloured foam inserts
- > Non-slip, with recessed grip
- > Resistant to oil and grease
- > Metric tool sizes
- > In tool trolley No. WHL-L7



Code	No.	Length mm	Width mm	Height mm
3082105	WHL-L-TS-147	785	510	1.045

Drawers	Number of drawers	Pieces	Weight kg
5x Type 1, H = 80 mm	7	147	97
2x Type 2, H = 160 mm			

Contents

- 1/4" Reversible ratchet No. 2093 U-20
- 1/4" Wobble extension No. 2090 KR-4, 1/4" T-handle No. 2087
- 1/4" Socket UD-profile No. D 20 4 5 5.5 6 7 8 9 10 11 12 13
- 1/4" Socket No. TX 20 E4 E5 E6 E7 E8 E10
- 1/4" Screwdriver bit slotted No. 680 4 5.5 6 5 8
- 1/4" Screwdriver bit in-hex No. 685 2.5 3 4 5 6
- 1/4" Screwdriver bit XZN No. 685 X 5 6 8
- 1/4" Screwdriver bit PH No. 690 1 2 3
- 1/4" Screwdriver bit PZ No. 690 PZD 1 2 3
- 1/4" Screwdriver bit TX No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40
- 1/4" Multi handle No. 676, 1/4" Bit holder No. 699
- 1/2" Reversible ratchet No. 1993 U-20
- 1/2" Extension No. 1990-2.1/2
- 1/2" Cardan extension No. 1990 KR-5 -10
- 1/2" Socket insert No. D 19 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32
- 1/2" Screwdriver socket in-hex No. IN 19 5 6 7 8 9 10 12 14
- Insert holder 1/4" hexagon - 1/4" square No. 673 6.3
- Bit-Adapter 1/4" hexagon - 1/4" square No. 620
- Combination spanner UD-profile No. 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
- Allen Key set No. PH 42-88 (2-10 mm)
- 3C-Screwdriver slotted No. 2154SK 3.5 5.5 6.5 8
- 3C-Screwdriver PH No. 2160SK PH 1 2, Universal pliers No. 142 10 TL
- Power combination pliers No. 8250-180 JC, Multiple pliers No. 8133-200 JC
- Power side cutters No. 8316-180 JC, Engineer's hammer No. 4 E-500
- Centre punch No. 100-12, Pin punch No. 119-1,5 -3 -4, Flat chisel No. 97-250
- Cross-cut chisel No. 98-125, Drift punch No. 99 12-5, Twist drill set No. 8550-024



WHL-L7-T5-308

TOOL TROLLEY WORKSTER

with 308-piece tool assortment

- > Tool set in check tool modules (CT) for industry, trade and the automotive sector
- > Completeness check through 2-coloured foam inserts
- > Non-slip, with recessed grip
- > Resistant to oil and grease
- > Metric tool sizes
- > In tool trolley No. WHL-L7



Code	No.	Length mm	Width mm	Height mm
3082113	WHL-L7-T5-308	785	510	1.045
Drawers	Number of drawers	Pieces	Weight kg	
5x Type 1, H = 80 mm	7	308	112,6	
2 x Type 2, H = 160 mm				

Contents

- 1/4" Reversible ratchet No. 2093 U-20
- 1/4" Wobble extension No. 2090 KR-4
- 1/4" T-handle No. 2087
- 1/4" Socket UD-profile No. D 20 4 5 5.5 6 7 8 9 10 11 12 13
- 1/4" Socket insert No. TX 20 E4 E5 E6 E7 E8 E10
- 1/4" Screwdriver bit slotted No. 680 4 5.5 6.5 8
- 1/4" Screwdriver bit hex No. 685 2.5 3 4 5 6
- 1/4" Screwdriver bit XZN No. 685 X 5 6 8
- 1/4" Screwdriver bit PH No. 690 1 2 3
- 1/4" Screwdriver bit PZ No. 690 PZD 1 2 3
- 1/4" Screwdriver bit TX No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40
- 1/4" Multi handle No. 676, 1/4" Bit holder No. 699
- 1/2" Reversible ratchet No. 1993 U-20, 1/2" Extension No. 1990-2.1/2
- 1/2" Wobble extension No. 1990 KR-5 -10
- 1/2" Socket No. D 19 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32
- 1/2" Screwdriver socket in-hex No. IN 19 5 6 7 8 9 10 12 14
- 1/2" Screwdriver socket XZN No. INX 19 6 8 10 12
- 1/2" Screwdriver socket in-hex No. IN 19 L 5-90 6-90 8-90 10-140 12-140 14-140, long
- 1/2" Screwdriver socket TX No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60
- 1/2" Screwdriver socket TX No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, long
- 1/2" Impact socket bit with protective sleeve No. K 19 LS 17 19 21
- 5/16" Screwdriver bit slot No. 880 7 8 9 12 ST-40, 5/16" Screwdriver bit in-hex No. 885 5 6 8 10
- 5/16" Screwdriver bit PH No. 890 1 2 3 4
- 3/8" Reversible ratchet No. 3093 U-20 Recoilless hammer No. 248
- 3/8" Cardan extension No. 3090 KR-5 -10
- 3/8" Socket wrench UD-profile No. D 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
- 3/8" Screwdriver socket in-hex No. IN 30 5 6 7 8 10
- 3/8" Screwdriver socket XZN No. INX 30 5 6 8 10
- 3/8" Screwdriver socket TX No. ITX 30 T20 T25 T27 T30 T40 T45 T50
- Insert holder 1/4" hexagon - 1/4" square No. 673 6,3
- Bit-Adapter 1/4" hexagon - 1/4" square No. 620
- Adaptor 5/16" hexagon - 1/2" square No. KB 819
- Open-end spanner with ring ratchet UD-profile No. 7 R 8 10 12 13 14 15 16 17 18 19
- Combination spanner UD-profile No. 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
- Double open-end spanner No. 6 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 24x27
- Double ring-end spanner UD-profile No. 2 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22
- Double ring-end spanner hexagon No. 400 8x10 10x11 12x14 13x15 17x19, open
- Offset screwdriver set No. PH 42-88 (2-10 mm)
- Offset screwdriver set No. H 43 TX-09, 3C-Screwdriver slotted No. 2154SK 3.5 5.5 6.5 8
- 3C-Screwdriver PH No. 2160SK PH 1 2
- 3C-Screwdriver TX No. 2163 TX T10 T15 T20 T25 T30 T40
- Socket wrench with 3C handle hexagon No. 2133 5.5 6 7 8 9 10
- Universal pliers No. 142 10 TL, Power combination pliers No. 8250-180 JC
- Multiple pliers No. 8133-200 JC, Power side cutters No. 8316-180 JC
- Circlip pliers for external retaining rings No. 8000 A 1 A 2 A 21
- Circlip pliers for internal retaining rings No. 8000 J 1 J 2 J 21
- Engineer's hammer No. 4 E-500, Centre punch No. 100-12, Pin punch No. 119-1,5 -3 -4
- Flat chisel No. 97-250, Cross-cut chisel No. 98-125, Drift punch No. 99 12-5
- Twist drill set No. 8550-024, Hacksaw No. 407, Grip pliers 10" No. 137 10
- Steel tape measure, 5m No. 4534-5, Screw remover 1/2" No. K 1900, Cable knife No. 0063-08
- Wire brush No. 646, Pocket vernier caliper No. 710, Key file set No. 8728
- Bolt extractor set No. 8551-55, Gasket scraper No. 133 K, Feeler gauge set, fan pattern No. 702 20 M





2004 TOOL TROLLEY

- > Working platform in ABS, with compartments for small parts
- > Storage compartment with perforated sheet (Euro perforation 10 x 38 mm), two removable drawers for small parts and door on the handle side
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Total load capacity 1000 kg static (750 kg dynamic)
- > Even under maximum loads, the GEDORE axle design ensures: smooth running, maneuverability and directional stability



2004 0620



2004 0701



2004 0810



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Crosswise divider	Lengthwise divider	Weight kg
1640720	2004 0620	RAL 5017	865	605	1.020	6x Type 1, H = 67 mm 2x Type 2, H = 137 mm	1000	8	2	3	88
1640712	2004 0701	RAL 5017	865	605	1.020	7x Type 1, H = 67 mm 1x Type 3, H = 207 mm	1000	8	2	3	90
1640704	2004 0810	RAL 5017	865	605	1.020	8x Type 1, H = 67 mm 1x Type 2, H = 137 mm	1000	9	2	3	95

1500 ES-02-2004

TOOL TROLLEY WITH TOOL ASSORTMENT

207 pieces

- > High-performance tool trolley in proven GEDORE industrial quality with basic equipment for the commercial sector or the ambitious do-it-yourselfer
- > Metric tool sizes
- > Proven GEDORE ES tool modules in ABS plastic
- > Resistant to oil and grease



Code	No.	Length mm	Width mm	Height mm	Drawers	Number of drawers	Pieces	Weight kg
2657708	1500 ES-02-2004	865	605	1.020	6x Type 1, H = 67 mm 2x Type 2, H = 137 mm	8	207	117,1

Contents

1/4" Reversible ratchet No. 2093 U-10, 1/4" T-handle No. 2087, 1/4" Extension No. 2090-4, 1/4" Universal Joint. 2095, 1/4" Square handle No. 2098, 1/4" Socket hexagon No. 20 4 5 5.5 6 7 8 9 10 11 12 13 14
 1/4" Socket TX No. TX 20 E4 E5 E6 E7 E8 E10, 1/4" Screwdriver socket in-hex No. IN 20 3 4 5 6 8, 1/4" Screwdriver socket TX No. ITX 20 T8 T9 T10 T15 T20 T25 T27 T30 T40
 1/2" Reversible ratchet No. 1993 U-20, 1/2" T-handle No. 1987, 1/2" Universal joint No. 1995, 1/2" Extension No. 1990-5 -10, 1/2" Socket hexagon No. 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32
 1/2" Screwdriver socket slotted No. IS 19 10x1,6 12x2, 1/2" Screwdriver socket cross-recess PH No. IKS 19 2 3 4, 1/2" Screwdriver socket XZN No. INX 19 8 10
 1/2" Screwdriver socket TX No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60, 1/2" Screwdriver socket TX No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, long
 1/2" Screwdriver socket in-hex No. IN 19 5 6 7 8 9 10 12 14 17, 1/2" Screwdriver socket in-hex No. IN 19 L 5-90 6-90 8-90 10-140 12-140 14-140, long
 1/2" Impact socket hexagon No. K 19 10 13 14 17 19, 1/2" Screw remover No. K 1900, 5/16" Screwdriver bit slotted No. 880 7 8 9 12, 5/16" Screwdriver bit in-hex No. 885 5 6 8 10
 5/16" Screwdriver bit PH No. 890 1 2 3 4, Adaptor 5/16" hexagon - 1/2" square No. KB 819, Combination spanner UD-profile No. 1 B 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
 Open-end spanner with ring ratchet, UD-profile No. 7 R 8 10 12 13 14 15 16 17 18 19, Double open-end spanner No. 6 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27
 Allen Key set No. PH 42-88 (2-10 mm), Nut Driver No. 2133 5,5 6 7 8 9 10, Universal pliers 10" 15 settings 2C-Handle No. No. 142 10 JC
 Power combination pliers 180 mm 2C-Handle No. 8250-180 JC, Flat nose pliers 160 mm 2C-Handle No. 8132-160 JC, Power side cutters 160 mm 2C-Handle No. 8316-160 JC
 Centre punch No. 100-12, Pin punch No. 119-1.5 -3 -4, Flat chisel No. 97-250
 Cross-cut chisel No. 98-125, Drift punch No. 99 12-5, Engineers' hammer ROTBAND-PLUS No. 600 H-300
 Thread file metric No. 140, Steel tape measure 5m No. 4534-5, Digital measuring caliper No. 711
 Tweezers with angled tips No. 720, Scriber No. 745, 3C-Screwdriver slot No. 2150 4 5,5 6,5 8
 3C-Screwdriver slot No. 2160 PH 1 2, Circlip pliers for external retaining rings, straight No. 8000 A 1 2
 Circlip pliers for external retaining rings, offset No. 8000 A 21, Circlip pliers for external retaining rings, straight No. 8000 J 1 2
 Circlip pliers for external retaining rings, offset No. 8000 J 21, TX Gauge No. 708 [2x]
 Distance module empty No. 1500 ED-70 K, 475x77x40 mm [6x], Tool trolley with 8 drawers No. 2004 0620

1500 ES-03 2004

TOOL TROLLEY WITH TOOL ASSORTMENT

325 pieces

- › High-performance tool trolley in proven GEDORE industrial quality with extensive industrial range for professionals
- › Metric tool sizes
- › Proven GEDORE ES tool modules in ABS plastic



Code	No.	Length mm	Width mm	Height mm	Drawers	Number of drawers	Pieces	Weight kg
2657716	1500 ES-03-2004	865	605	1.020	8x Type 1, H = 67 mm 1x Type 2, H = 137 mm	9	325	125,8

Contents

1/4" Reversible ratchet No. 2093 U-10, 1/4" T-handle No. 2087, 1/4" Extension No. 2090-4, 1/4" Universal joint No. 2095, 1/4" Square handle No. 2098
 1/4" Socket hexagon No. 20 4 5 5.5 6 7 8 9 10 11 12 13 14, 1/4" Socket No. 20 L 4 4.5 5 6 7 8 9 10 12 13, long, 1/4" Screwdriver socket in-hex No. IN 20 3 4 5 6 8
 1/4" Socket TX No. TX 20 E4 E5 E6 E7 E8 E10, 1/4" Screwdriver socket TX No. ITX 20 T8 T9 T10 T15 T20 T25 T27 T30 T40, 1/4" Screwdriver bit slotted No. 680 4 5.5 6.5 8
 1/4" Screwdriver bit in-hex No. 685 2.5 3 4 5 6, 1/4" Screwdriver bit in-hex No. 685 X 5 6 8, 1/4" Screwdriver bit in-hex No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40, 1/4" Screwdriver bit PH No. 690 1 2 3
 1/4" Screwdriver bit PZ No. 690 PZD 1 2 3, 1/4" Bit holder No. 699, 1/4" Bit holder No. 620, 1/4" Multi handle No. 676, 1/2" Reversible ratchet No. 1993 U-20, 1/2" T-handle No. 1987
 1/2" Universal joint No. 1995, 1/2" Extension No. 1990-5 -10, 1/2" Socket hexagon No. 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32, 1/2" Socket hexagon No. IS 19 10x1.6 12x2
 1/2" Socket hexagon No. IKS 19 2 3 4, 1/2" Screwdriver socket in-hex No. IN 19 5 6 7 8 9 10 12 14 17, 1/2" Screwdriver socket in-hex No. IN 19 L 5-90 6-90 8-90 10-140 12-140 14-140, long
 1/2" Screwdriver socket TX No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60, 1/2" Screwdriver socket TX No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, long
 1/2" Screwdriver socket XZN No. INX 19 8 10, 1/2" Impact socket hexagon No. K 19 10 13 14 17 19, 1/2" Screw remover No. K 1900, 5/16" Screwdriver bit slotted No. 880 7 8 9 12
 5/16" Screwdriver bit in-hex No. 885 5 6 8 10, 5/16" Screwdriver bit crosshead PH No. 890 1 2 3 4, Adaptor 5/16" hexagon - 1/2" square No. KB 819, Insert holder 1/4" hexagon - 1/4" square No. 673 6.3
 Combination holding tool No. 639, Adjustable open-end wrench No. 60 P 8 10", Combination spanner UD-profile No. 1 B 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
 Open-end spanner with ring ratchet UD-profile No. 7 R 8 10 12 13 14 15 16 17 18 19, Double ring-end spanner UD-profile No. 2 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22
 Double ended flare nut spanner No. 400 8x10 10x11 12x14 13x15 17x19, Double ring-end spanner No. 6 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27
 Double-ended spanner UD-profile No. 34 8x9 10x11 12x13 14x15 16x17, 3C-Screwdriver slotted No. 2150 4 5.5 6.5 8, 3C-Screwdriver slotted No. 2160 PH 1 2, 3C-Screwdriver TX No. 2163 TX T8 T10 T15 T20 T25 T30
 VDE Screwdriver slotted No. VDE 2170 4 5.5 6.5 8, VDE Screwdriver PZ No. VDE 2160 PZ 1 2, Offset screwdriver No. DT 2142 2.2 5 3 4 5 6 7 8 10
 Offset screwdriver set in holder 8pcs No. PH 42-88 (2.2 5 3 4 5 6 8 10), Allen key set No. H 42 KEL-88, hexagon 2.2 5 3 4 5 6 8 10 mm, ball end
 Offset screwdriver set TX No. H 43 KTX-07, TX T10 T15 T20 T25 T27 T30 T40, Bolt extractor set No. 8551-55, M3-M18, Universal pliers 10", 15 settings No. 142 10 C
 VDE Power combination pliers No. VDE 8250-180 H, VDE Flat nose pliers No. VDE 8132-160 H, VDE Side cutter No. VDE 8314-160 H, Voltage tester slotted No. 4615 3, 220-250 V, 3mm
 Circlip pliers for external retaining rings, straight No. 8000 A 1 2, Circlip pliers for external retaining rings, offset No. 8000 A 21, Circlip pliers for internal retaining rings, straight No. 8000 J 1 2
 Circlip pliers for internal retaining rings, offset No. 8000 J 21, Grip pliers No. 137 10, Centre punch No. 100-12, Pin punch No. 119-1,5 -3 -4, Flat chisel No. 97-250
 Cross-cut chisel No. 98-125, Drift punch No. 99 12-5, Scraper No. 133 K, Engineers' hammer ROTBAND-PLUS No. 600 H-300
 Thread file metric No. 140, Steel tape measure 5m No. 4534-5, TX Gauge No. 708 (2X)
 Digital measuring caliper No. 711, Tweezers with angled tips No. 720, Scriber No. 745
 Key file set No. 8728 Flat butt, 3-edge, 4-edge, half-round, round file, Cable knife No. 0513-09, 195 mm
 Crossbeam 2-arm No. 106/103, Crossbeam 3-arm No. 107/103, Spindle No. 1.1406140, Pulling leg No. 106/S100-E [3x]
 Miniature LED light No. 649, Distance module empty No. 1500 ED-70 K, 475x77x40 mm [7x], Tool trolley with 9 drawers No. 2004 0810

2005

TOOL TROLLEY

- > ABS worktop with small part compartments
- > Side walls with Euro perforation 10 x 38 mm
- > Added safety due to heel protection and edge protection
- > Central locking with cylinder clock
- > Wide drawers (W 640 x D 400 mm) fully extendable, removable
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Total load capacity 1000 kg static (750 kg dynamic)



Code	No.	RAL	Width mm	Height mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Crosswise divider	Lengthwise divider	Weight kg
1803018	2005 0511	GEDORE blue, RAL 5017	605	1.020	865	5x Type 1, H = 67 mm 1x Type 2, H = 137 mm 1x Type 3, H = 207 mm	1000	7	2	3	83
2003562	2005 0810	GEDORE blue, RAL 5017	865	1.020	605	8x Type 1, H = 67 mm 1x Type 2, H = 137 mm	1000	9	2	3	93



2005-TS-147

TOOL TROLLEY WITH TOOL ASSORTMENT

147 pieces

- > Tools in metric dimensions for industry, trade, automotive
- > In Check-Tool-Modules

Code	No.	Length mm	Width mm	Height mm	Drawers
2980282	2005-TS-147	865	605	1.020	5x Type 1, H = 67 mm 1x Type 2, H = 137 mm 1x Type 3, H = 207 mm

Number of drawers	Weight kg
7	104,3

Contents

1/4" Reversible ratchet No. 2093 U-20, 1/4" Wobble extension No. 2090 KR-4
 1/4" T-handle No. 2087, 1/4" Socket UD-profile No. D 20 4 5 5.5 6 7 8 9 10 11 12 13
 1/4" Socket No. TX 20 E4 E5 E6 E7 E8 E10, 1/4" Screwdriver bit slotted No. 680 4 5.5 6.5 8
 1/4" Screwdriver bit in-hex No. 685 2.5 3 4 5 6, 1/4" Screwdriver bit XZN No. 685 X 5 6 8
 1/4" Screwdriver bit PH No. 690 1 2 3, 1/4" Screwdriver bit PZ No. 690 PZD 1 2 3
 1/4" Screwdriver bit TX No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40
 1/4" Multi handle No. 676, 1/4" Bit holder No. 699
 1/2" Reversible ratchet No. 1993 U-20, 1/2" Extension No. 1990-2.1/2
 1/2" Cardan extension No. 1990 KR-5 -10
 1/2" Socket insert No. D 19 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32
 1/2" Screwdriver socket in-hex No. IN 19 5 6 7 8 9 10 12 14
 Insert holder 1/4" hexagon - 1/4" square No. 673 6.3
 Bit-Adapter 1/4" hexagon - 1/4" square No. 620
 Combination spanner UD-profile No. 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
 Allen Key set No. PH 42-88 (2-10 mm)
 3C-Screwdriver slotted No. 2154SK 3.5 5.5 6.5 8
 3C-Screwdriver PH No. 2160SK PH 1 2, Universal pliers No. 142 10 TL
 Power combination pliers No. 8250-180 JC
 Multiple pliers No. 8133-200 JC, Power side cutters No. 8316-180 JC
 Engineer's hammer No. 4 E-500, Centre punch No. 100-12
 Pin punch No. 119-1,5 -3 -4, Flat chisel No. 97-250
 Cross-cut chisel No. 98-125, Drift punch No. 99 12-5, Twist drill set No. 8550-024



Code	No.	Length mm	Width mm	Weight kg
2955997	TS-147	316,5	390	11,98



2005-TS-190

TOOL TROLLEY WITH TOOL ASSORTMENT

190 pieces

- > Tools in metric dimensions for industry, trade, automotive
- > In Check-Tool-Modules

Code	No.	Length mm	Width mm	Height mm	Drawers
2980290	2005-TS-190	865	605	1.020	5x Type 1, H = 67 mm 1x Type 2, H = 137 mm 1x Type 3, H = 207 mm
Number of drawers					Weight kg
7					109,6

Contents

- 1/4" Reversible ratchet No. 2093 U-20
- 1/4" Wobble extension No. 2090 KR-4
- 1/4" T-handle No. 2087
- 1/4" Socket UD-profile No. D 20 4 5 5.5 6 7 8 9 10 11 12 13
- 1/4" Socket No. TX 20 E4 E5 E6 E7 E8 E10
- 1/4" Screwdriver bit slotted No. 680 4 5.5 6 5 8
- 1/4" Screwdriver bit in-hex No. 685 2.5 3 4 5 6
- 1/4" Screwdriver bit XZN No. 685 X 5 6 8
- 1/4" Screwdriver bit PH No. 690 1 2 3
- 1/4" Screwdriver bit PZ No. 690 PZD 1 2 3
- 1/4" Screwdriver bit TX No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40
- 1/4" Multi handle No. 676
- 1/4" Bit holder No. 699
- 1/2" Reversible ratchet No. 1993 U-20
- 1/2" Extension No. 1990-2.1/2
- 1/2" Wobble extension No. 1990 KR-5 -10
- 1/2" Socket No. D 19 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32
- 1/2" Screwdriver socket in-hex No. IN 19 5 6 7 8 9 10 12 14
- 1/2" Screwdriver socket XZN No. INX 19 6 8 10 12
- 1/2" Screwdriver socket in-hex No. IN 19 L
- 5-90 6-90 8-90 10-140 12-140 14-140, long
- 1/2" Screwdriver socket TX No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60
- 1/2" Screwdriver socket TX No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, long
- Insert holder 1/4" hexagon - 1/4" square No. 673 6.3
- Bit-Adapter 1/4" hexagon - 1/4" square No. 620
- Combination spanner UD-profile No. 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
- Double open-end spanner No. 6 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 24x27
- Allen key set No. PH 42-88 (2-10 mm)
- 3C Screwdriver slotted No. 2154SK 3.5 5.5 6.5 8
- 3C Screwdriver PH No. 2160SK PH 1 2
- Universal pliers No. 142 10 TL
- Power combination pliers No. 8250-180 JC
- Multiple pliers No. 8133-200 JC
- Power side cutters No. 8316-180 JC
- Circlip pliers for external retaining rings No. 8000 A 1 A 2 A 21
- Circlip pliers for internal retaining rings No. 8000 J 1 J 2 J 21
- Engineer's hammer No. 4 E-500
- Centre punch No. 100-12
- Pin punch No. 119-1.5 -3 -4
- Flat chisel No. 97-250
- Cross-cut chisel No. 98-125
- Drift punch No. 99 12-5
- Twist drill set No. 8550-024



Code	No.	Length mm	Width mm	Weight kg
2956527	TS-190	316,5	390	17,08

2005-TS-308

TOOL TROLLEY WITH TOOL ASSORTMENT

308 pieces

- > Tools in metric dimensions for industry, trade, automotive
- > In Check-Tool-Modules



Code	No.	Length mm	Width mm	Height mm	Drawers	Number of drawers	Weight kg
2980304	2005-TS-308	865	605	1.020	5x Type 1, H = 67 mm 1x Type 2, H = 137 mm 1x Type 3, H = 207 mm	7	121,6

Contents

1/4" Reversible ratchet No. 2093 U-20, 1/4" Wobble extension No. 2090 KR-4, 1/4" T-handle No. 2087
 1/4" Socket UD-profile No. D 20 4 5 5.5 6 7 8 9 10 11 12 13, 1/4" Socket insert No. TX 20 E4 E5 E6 E7 E8 E10
 1/4" Screwdriver bit slotted No. 680 4 5.5 6.5 8, 1/4" Screwdriver bit in-hex No. 685 2.5 3 4 5 6, 1/4" Screwdriver bit XZN No. 685 X 5 6 8
 1/4" Screwdriver bit PH No. 690 1 2 3, 1/4" Screwdriver bit PZ No. 690 PZD 1 2 3, 1/4" Screwdriver bit TX No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40
 1/4" Multi handle No. 676, 1/4" Bit holder No. 699, 1/2" Reversible ratchet No. 1993 U-20, 1/2" Extension No. 1990-2.1/2, 1/2" Wobble extension No. 1990 KR-5 -10
 1/2" Socket No. D 19 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32, 1/2" Screwdriver socket in-hex No. IN 19 5 6 7 8 9 10 12 14
 1/2" Screwdriver socket XZN No. INX 19 6 8 10 12, 1/2" Screwdriver socket in-hex No. IN 19 L 5-90 6-90 8-90 10-140 12-140 14-140, long
 1/2" Screwdriver socket TX No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60, 1/2" Screwdriver socket TX No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, long
 1/2" Impact socket bit with protective sleeve No. K 19 LS 17 19 21, 5/16" Screwdriver bit slotted No. 880 7 8 9 12 ST-40
 5/16" Screwdriver bit in-hex No. 885 5 6 8 10, 5/16" Screwdriver bit PH No. 890 1 2 3 4, 3/8" Reversible ratchet No. 3093 U-20 Recoiless hammer No. 248
 3/8" Wobble extension No. 3090 KR-5 -10, 3/8" Socket wrench UD-profile No. D 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
 3/8" Screwdriver socket in-hex No. IN 30 5 6 7 8 10, 3/8" Screwdriver socket XZN No. INX 30 5 6 8 10
 3/8" Screwdriver socket TX No. ITX 30 T20 T25 T27 T30 T40 T45 T50 Insert holder 1/4" hexagon - 1/4" square No. 673 6.3
 Bit-Adapter 1/4" hexagon - 1/4" square No. 620, Adaptor 5/16" hexagon - 1/2" square No. KB 819
 Open-end spanner with ring ratchet UD-profile No. 7 R 8 10 12 13 14 15 16 17 18 19, Combination spanner UD-profile No. 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24
 Double open-end spanner No. 6 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 24x27
 Double ring-end spanner UD-profile No. 2 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22, Double flare end spanner hexagon No. 400 8x10 10x11 12x14 13x15 17x19, open
 Allen key set No. PH 42-88 (2-10 mm), Offset screwdriver set No. H 43 TX-09, 3C-Screwdriver slotted No. 2154SK 3.5 5.5 6.5 8, 3C-Screwdriver PH No. 2160SK PH 1 2
 3C-Screwdriver TX No. 2163 TX T10 T15 T20 T25 T30 T40, Socket wrench with 3C handle hexagon No. 2133 5.5 6 7 8 9 10, Universal pliers No. 142 10 TL
 Power combination pliers No. 8250-180 JC, Multiple pliers No. 8133-200 JC, Power side cutters No. 8316-180 JC
 Circlip pliers for external retaining rings No. 8000 A 1 A 2 A 21, Circlip pliers for internal retaining rings No. 8000 J 1 J 2 J 21
 Engineer's hammer No. 4 E-500, Centre punch No. 100-12, Pin punch No. 119-1.5 -3 -4, Flat chisel No. 97-250, Cross-cut chisel No. 98-125, Drift punch No. 99 12-5, Twist drill set No. 8550-024
 Hacksaw No. 407, Grip pliers 10" No. 137 10, Steel tape measure, 5m No. 4534-5, Screw remover 1/2" No. K 1900
 Cable knife No. 0063-08, Wire brush No. 646, Pocket vernier caliper No. 710, Key file set No. 8728
 Bolt extractor set No. 8551-55, Gasket scraper No. 133 K, Feeler gauge set, fan pattern No. 702 20 M


Code	No.	Length mm	Width mm	Weight kg
2956535	TS-308	316,5	390	30,14

KL-4998-400

WORKSHOP TROLLEY WITH TOOL ASSORTMENT FOR CARS

466 pieces

- > Fully equipped workshop trolley for repair and maintenance work on cars
- > Very robust and durable tools
- > Mobile workstation and tool storage combined
- > Full-extension drawers for easy access
- > Easy visual completeness check due to 2-colored foam inserts



Code	No.	Width mm	Height mm	Depth mm	Drawers
3421147	KL-4998-400	865	1.020	605	full extension
Max. load-bearing capacity kg	Number of drawers	Pieces	Weight kg		
1000	9	466	110		

Contents

Drawer 1

1/4" assortment (double hex 4-13mm; hex long 4-13mm; TX T10-T40; TX E4-E10; TX PLUS IP10-IP30; TX PLUS EP6-EP12; IN 3-8; cross-head PH1-PH3; slotted 5.5-6.5mm)
 Bit box (32 pcs), Extensive pliers assortment, Hexagon L key kit (TX T9-40; IN 2-10)
 Grip wrench brake line (11mm)
 Steel measuring tape (5m), Magnetic lifter

Drawer 2

3/8" assortment (hex 6-19mm; double hex long 10-19mm; TX T20-T50; TX E6-E14; IN 4-11; XZN M5-M10; TX PLUS IP40-IP60; TX PLUS EP10-EP20; spark plug socket spanner 14 + 16 + 18mm), Voltage tester (6-48 Volt AC/DC)
 Torque wrench (3/8", 10-50Nm), Digital caliper gauge, Feeler gauge

Drawer 3

1/2" assortment (hex 8-32mm; TX T27-T60; TX E10-E24; IN 5-17; XZN M5-M16; TX PLUS EP22-EP32), Torque wrench (1/4", 40-200Nm)

Drawer 4

Screwdriver assortment (hex 6-10mm; IN3-8; cross-head PH1-PH4; slotted 4,5-8 mm; TX T10-T40), Univ. brake caliper hook pair

Drawer 5

Extensive striking tool, file, drill assortment (files, hammers, drills, pry bars, chisels, punches)

Drawer 6

Special grip plier, Brake caliper brush
 Combination spanner (6-32mm)

Drawer 7

Open-end spanner with ring ratchet (8-19mm), Double ring spanner (6-24mm, TX E6-E24)
 Starter block spanner (11-17mm), Double ring spanner open (8-19mm)

Drawer 8

1/2" socket spanners (hex long 10-32mm; IN 6-14; TX T27-T60)

Power socket spanners with protective sleeve (17-22mm)

Power socket spanners (13-27mm), Cable stripping knife and Universal combination shears

1/4" 3/8" 1/2"

2005 XL 0520

TOOL TROLLEY

with 7 drawers

- > 7 extra wide drawers with large storage space
- > Multifunctional, extra wide storage/mounting surface
- > 1,000 kg total load capacity (static), 6 drawers 60 kg each, one heavy-duty drawer 70 kg
- > Full-extension drawers for easy access
- > Special GEDORE chassis for smooth running, manoeuvrability and directional stability under maximum load
- > Compatible with GEDORE tool sets (ES or CT modules) for different applications

High total load capacity - 1,000 kg

7 extra wide drawers

Multifunctional, extra wide shelf/mounting surface



Easy to manoeuvre



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Crosswise divider	Lengthwise divider	Weight kg
3437493	2005 XL 0520	GEDORE blue, RAL 5017	1.021	605	1.020	5xType1, H=71mm 2xType2, H=146mm	1000	7	2	3	105,5

TOOL TROLLEY

WITH TOOL ASSORTMENT FOR CARS

466 pieces

- > Fully equipped tool trolley for repair and maintenance work on cars
- > Very robust and durable tools
- > Mobile workstation and tool storage combined
- > Full-extension drawers for easy access
- > Easy visual completeness checks due to 2-colored foam inserts

Full extension drawers
for easy access

Mobile workstation
and tool storage
combined

Fully equipped
tool trolley with
466 pieces

Sturdy and
durable tool



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3458946	2005 XL-S-466	1.021	605	1.020	466	165,8

Contents

Extension No. 2090-2 -4 -6 -12, Universal joint No. 2095, Sliding T-bar 1/4" No. 2087, Ratchet with T-handle 1/4" No. 2093 U-3 T, Reversible ratchet 1/4" No. 2093 U-20, Socket 1/4" No. D 20 4 5 6 7 8 9 10 11 12 13 mm Socket 1/4", long No. 20 L 4 5 6 7 8 9 10 11 12 13 mm, Socket 1/4" No. TX 20 E4 E5 E6 E7 E8 E10, Screwdriver bit socket 1/4" No. IKS 20 PH1 PH2 PH3, Screwdriver bit socket 1/4" No. IS 20 5,5x1 6,5x1,2, Screwdriver bit socket 1/4" No. IN 20 3 4 5 6 8, Screwdriver bit socket 1/4" No. ITX 20 T10 T15 T20 T25 T27 T30 T40, Socket 1/4" No. KL-4043-1106 -1107 -1108 -1110 -1111 -1112, Socket wrench 1/4" No. KL-4043-1010 -1015 -1025 -1030, Socket wrench 1/4" No. KL-4043-1020, Extension 3/8" No. 3090-5 -10 -12, Extension 3/8" with magnet No. 3090 M, Universal joint 3/8" No. 3095, Adaptor 3/8" to 1/2" No. 3019, Reducer 3/8" to 1/4" No. 3020, Reversible ratchet 3/8" No. 3093 U-20, Swivel head reversible ratchet 3/8" No. 3093 GU-3, Socket 3/8" No. 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19, Socket 3/8", long No. D 30 L 10 11 12 13 14 15 16 17 18 19, Socket 3/8" No. TX 30 E6 E7 E8 E10 E11 E12 E14, Screwdriver bit socket 3/8" No. IN 30 4 5 6 7 8 10, Screwdriver bit socket 3/8", long No. IN 30 4 5 6 7 8 10, Screwdriver bit socket 3/8" No. KL-4021-3107 A -3109 A -3111 A, Screwdriver bit socket 3/8" No. ITX 30 T20 T25 T27 T30 T40 T45 T50, Screwdriver bit socket 3/8", long No. ITX 30 L T20 T25 T27 T30 T40 T45 T50, Screwdriver bit socket 3/8" XZN No. INX 30 5 6 8 10, Screwdriver bit socket 3/8", long XZN No. 6 8 10 Socket 3/8" No. KL-4043-2110 -2112 -2114 -2116 -2118 -2120, Socket wrench 3/8" No. KL-4043 IP40 IP45 IP50 IP55 IP60, Extension 1/2" No. 1990-5 -10, Extension 1/2" with magnet No. 1990 M, Universal joint 1/2" No. 1995, Reducer 1/2" to 3/8" No. 1930, Sliding T bar 1/2" No. 1987, Reversible ratchet 1/2" No. 1993 U-20, Telescopic reversible ratchet 1/2" No. 1993 TU-10, Socket 1/2" No. 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32, Socket 1/2" No. D 19 L 10 12 13 14 15 16 17 18 19 21 22 24 27 30 32, Socket 1/2" No. TX 19 E10 E11 E12 E14 E16 E18 E20 E24, Screwdriver bit socket 1/2" No. IN 19 5 6 7 8 9 10 12 14 17, Screwdriver bit socket 1/2" TX No. ITX 19 T27 T30 T40 T45 T50 T55 T60, Screwdriver bit socket 1/2" XZN No. INX 19 5 6 8 10 12 14 16, Screwdriver bit socket 1/2", long No. IN 19 L 5-90 6-140 7-140 8-140 9-140 10-140 12-140 14-140 Screwdriver bit socket 1/2" No. ITX 19 L T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, Socket 1/2" No. KL-4043-3122 -3124 -3126 -3128 -3130 -3132, Impact socket 1/2" with protective sleeve No. K 19 LS 17 19 21 22, Impact socket 1/2", long No. K 19 L 13 14 16 17 18 19 21 22 23 24 27, Ratchet screwdriver SilentGEAR No. 2675, Insert holder short 1/4" No. 673 K, Bit-Box Industry 32 pieces No. 666-032-J, Bit-Adapter 1/4" hexagon - 1/4" square No. 620, Combination spanner No. 1 B 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 28 30 32, Combination ratchet spanner No. 7 R 8 9 10 11 12 13 14 15 16 17 18 19, Double ring-end spanner No. 2 6x7 8x9 10x11 12x13 14x15 16x17 18x19 22x24, Double ring-end spanner No. TX 4 E6xE8 E10xE12 E14xE18 E20xE24, Double flare end spanner, open No. 400 8x10 11x13 12x14 17x19, Half-moon ring spanner No. 304 11x13 14x16 15x17, Nut driver No. 2133 6 7 8 9 10, 3C-Screwdriver, short No. 2153 5,5, 3C-Screwdriver with striking cap No. 2154SK 4,5 5,5 6,5 8, 3C-Screwdriver with striking cap No. 2160SK PH1 PH2 PH3 PH4, 3C-Screwdriver, short No. 2161 PH1, 3C-Screwdriver No. 2163 TXB T10 T15 T20 T25 T27 T30 T40, 3C-Screwdriver ball end No. 2163 K 3 4 5 6 8, Allen key set 2-10 mm No. H 42 KEL-88, Hexagon socket key set TX T9-T40 No. H 43 TX-88, Voltage tester 6-48 Volt AC/DC No. 4612, Power combination pliers No. 8250-180 JC, Side cutter No. 8314-180 JC, Multiple pliers No. 8133-180 JC, Telephone plier No. 8132 AB-160 JC, Universal pliers 10" No. 142 10 TL, Set of circlip pliers 4 pieces No. S 8000, Universal combination shears No. KL-4901-10, Cable knife No. 0063-08, Grip wrench No. 137 7-11, Steel tape measure No. 4534-5, Digital measuring caliper No. 711, Feeler Gauge No. 702 20 M, Magnetic lifter No. KL-0126-206, Torque wrench UK Torcoflex No. 3549-05 10-50 Nm, Torque wrench UK Torcoflex No. 3550-20 40-200 Nm, Universal Brake caliper Hook No. KL-0114-550, Brake caliper file No. 8726, Brake caliper brush No. 643, Spark plug socket spanner with joint No. KL-0127-48, Spark plug insert with retaining spring No. 53 16 mm, Spark plug insert with retaining spring No. 56 18 mm, Gasket scraper No. 133 K, Hand file No. 8701 2-10, half round file No. 8722 2-10, Flat chisel No. 97-125 -150 -200, Cross cut chisel, flat oval No. 96-150, Drift punch No. 99 10 2 -3 -4, Centre punch No. 100-10, Pin punch No. 119 3 4 5 6, Engineer's hammer ROTBAND-PLUS No. 600 E-400 -1500, Recoilless hammer No. 248 H-30, Twist drill bit set No. R93500025 Ø1-13, Prybar No. 141-300 -390, Special grip wrench No. 139, Bottle opener 2C GEDORE No. GMH990007



TTB-TS-173

TOOL TROLLEY WITH ASSORTMENT

173 pieces

- > Compact tool trolley with versatile tool set, as basic equipment for the workshop
- > The total load capacity is 900 kg (static) and 650 kg (dynamic)
- > Intelligent product selection from which the torsion bit set, a 1/4" bit socket box and multiple pliers stand out
- > The torsion bit set with torsion bits, sockets and much more for demanding and diverse screw connections
- > Bit socket wrench box including the premium quality ratchet with a low swing-back angle of 6° for hard-to-reach places
- > The multiple pliers are perfect for holding, bending, cutting, stripping, crimping and squeezing



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3411443	TTB-TS-173	775	475	985	173	90,7

Contents

1993 U-20 Reversible ratchet 1/2"
 1990-3 Extension, 1990-5 Extension, 1990-10 Extension
 D 19 10 12 13 15 16 17 18 19 22 24 27 30 32, IN 19 5 6 7 8 9 10 12 14 17 19
 666- U-20 Bit socket box with ratchet 1/4"
 1990 M Extension 1/2" with holding magnet
 1 B 8 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32, 666-042
 2150 4 3C-Screwdriver slotted 4x0, 8x100mm
 2150 5,5 3C-Screwdriver slotted 5,5x1x100mm
 2150 6,5 3C-Screwdriver slotted 6,5x1, 2x150mm
 2150 8 3C-Screwdriver slotted 8x1, 2x150mm
 2160 PH 1 Screwdriver, 2160 PH 2 Screwdriver
 142 10 TL Universal pliers, 8133-200 JC Multiple pliers
 8314-180 JC Side cutters, 4615 3 Test screwdriver
 4 E-500 Locksmith's hammer
 8550-024 Twist Drill- Set 24-piece
 316 D Pin punch set in metal hinged case
 H 42-10 Angle screwdriver set
 LW EI-TS CT4-1B-19 CT insert empty
 LW EI-TS CT4-2150-142 CT insert empty
 Tool trolley with 6 drawers



2430

TOOL CHEST

- > Working platform in ABS, with compartments for small parts
- > Central locking with cylinder lock
- > Wide drawers (W 640 x D 400 x H 67 mm) fully extendable, removable
- > Each drawer with safety locking, single-hand operation
- > Load capacity per drawer 40 kg



Code	No.	Length mm	Width mm	Height mm	Lengthwise divider	Crosswise divider	Weight kg
1888927	2430	775	475	345	3	2	34



1500 H 40 PAPER ROLL HOLDER

- > For paper rolls up to diameter 320 mm and width 320 mm
- > Lateral perforation for additional hooks (not included in delivery)
- > Colour RAL 9005 black
- > Suitable for all tool trolleys/benches with Euro holes 10 x 38 mm



Code	No.	Length mm	Width mm	Height mm	Weight kg
2997754	1500 H 40	350	200	110	1,1

1500 H 25-8 SPRAY CAN HOLDER

for 8 spray cans

- > Compatible with standard Euro square perforation 10 x 38 mm
- > Can also be used as transport box due to removable dividers
- > Powder-coated
- > With carrying handle
- > Front square perforation for additional hooks (not included)



Code	No.	Length mm	Width mm	Height mm	Weight kg
3127907	1500 H 25-8	315	165	100	2,05

KL-4911-102 CAN HOLDER, MAGNETIC

NEW

- > Ideal for easy storage of spray cans such as brake cleaner, silicone and grease sprays and much more during repair work on the vehicle
- > This can be easily attached to a magnetic surface such as a workshop trolley or lifting platform



Code	No.	Magnetic lifting force g	for max. Ø mm
3457125	KL-4911-102	3.000	70
Length mm	Width mm	Height mm	Weight kg
160	90	120	0,29

KL-4911-11X

MAGNETIC MAT

- > Ideal for safely storing and securing tools, screws or other parts during repair work on the vehicle
- > Even the heaviest objects are held securely and reliably thanks to the extremely strong magnets
- > The mat can simply be stored loose or attached to magnetic surfaces such as a workshop trolley or lifting platform
- > The textured plastic surface with internal foam membrane prevents damage to sensitive surfaces, is easy to clean and is resistant to water and oil



Code	No.	Length mm	Width mm	Height mm	Weight kg
3457168	KL-4911-111	114	114	7	0,1
3457176	KL-4911-112	280	200	7	0,4
3457184	KL-4911-113	305	50	7	0,13

KL-4911-103

MAGNETIC TRAY

- > Ideal for safely storing screws or other small parts during repair work on the vehicle
- > It can simply be attached to a magnetic surface such as a workshop trolley or a lifting platform
- > It doesn't matter whether they are vertical or horizontal, the special shape and high edge ensure that they are always stored securely




Code	No.	Length mm	Width mm	Weight kg
3457133	KL-4911-103	150	150	0,4

NEW

KL-4991-101

STORAGE MAT

- > Ideal for safely storing tools, screws and various small parts during repair work on the vehicle
- > The flexible and non-slip surface allows them to be placed quickly and easily anywhere on the vehicle and ensures an extremely secure hold
- > The individual compartments allow for organised and clear storage
- > Sensitive surfaces and paintwork are protected from scratches and damage
- > The mats are easy to clean and resistant to water and oil



Code	No.	Length mm	Width mm	Height mm	Weight kg
3457192	KL-4991-101	530	295	31	2,5

1504

MOBILE WORKBENCH

- > 30 mm thick multiplex beech plywood panel, surface additionally protected with linseed oil varnish
- > Large usable storage space with shelf and door
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > GEDORE high-performance running gear, total load capacity 1000 kg, in mobile operation 750 kg
- > The GEDORE trapezoidal axle construction secures smooth running, maneuverability and track-keeping also in case of maximum loads



Code	No.	Length mm	Width mm	Height mm	Worktop thickness mm	Drawers	Number of drawers	Weight kg
6622830	1504 0511	1.100	630	985	30	5x Type 1, H = 67 mm 1x Type 2, H = 137 mm 1x Type 3, H = 207 mm	7	102
1814923	1504 0810	1.100	630	985	30	8x Type 1, H = 67 mm 1x Type 2, H = 137 mm	9	111

1504 XL

MOBILE WORKBENCH EXTRA-WIDE

- > 30 mm thick multiplex laminated beech wood board, surface additionally protected by linseed oil varnish
- > Large storage space with lower shelf and door
- > 1 XL drawer (W 1055 x D 400), 6 wide drawers (W 640 x D 400 mm) fully extendable, removable
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Total load capacity 1000 kg, in mobile operation 750 kg
- > The GEDORE trapezoidal axle construction secures smooth running, maneuverability and track-keeping also in case of maximum loads



Code	No.	Length mm	Width mm	Height mm	Worktop thickness mm	Drawers	Number of drawers	Weight kg
1988468	1504 XL 1411	1.250	630	985	30	1x Type 1, H. = 67 mm extra wide 4x Type 2, H. = 67 mm 1x Type 3, H. = 137 mm 1x Type 4, H. = 207 mm	7	124
2259001	1504 XL 1710	1.250	630	985	30	5x Type 1, H = 67 mm 1x Type 2, H = 137 mm 1x Type 3, H = 207 mm	9	126,5

1504 XL-S-306

WORKBENCH

WITH AGRAR PROFESSIONAL TOOL ASSORTMENT

306 pieces

- > Ideally suited for service and maintenance work on agricultural machinery
- > GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- > In workbench no. 1504XL 1411
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > 1 XL drawer (W 1055 x D 400), 8 wide drawers (W 640 x D 400 mm) fully extendable, removable

Extensive equipping
with 306 pieces

Workbench with
high load bearing
capacity

Tool for
agricultural
machines

Customisable
and flexible



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Pieces	Weight kg
3434834	1504 XL-S-306	GEDORE blue, RAL 5017	1.250	630	985	1x Type XL, H. = 75 mm extra wide 7x Type 1b, H. = 67 mm, 1x Type 2b, H. = 137 mm	1000	9	306	182,9

Contents


Rolling workbench extra wide 1504 XL 1710 | 1.25 m, Screwdriver bit set 1/4" 620-024, Square handle 1/4" 2098, Socket 20 4.4.5 5.5.5 6.7 8.9 10 11 12 13 14 mm
 Screwdriver bit 1/4" IN 20 4.5 6 8 mm, Screwdriver bit ITX 20 T8 T9 T10 T15 T20 T25, Reversible ratchet 1/4" 2093 U-10, T-handle 1/4" 2087, Extension 2090-2-4-6, Universal joint 2095
 Socket 1/2" 19 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 36 mm, Socket 1/2" D 19 L 10 L 12 L 13 L 14 L 15 L 16 L 17 L 18 L 19 L 21 L 22 L 24 L 27 L 30 L 32 mm
 Screwdriver bit 1/2" IN 19 4.5 6 7 8 9 10 12 14 17 19 mm, Screwdriver bit 1/2" IN 19 L 6-140 7-140 8-140 9-140 10-140 12-140 14-140 mm
 Screwdriver bit 1/2" ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, Socket 1/2" TX 19 E10 E11 E12 E14 E16 E18 E20 E24, Reversible ratchet 1/2" 1993 U-10 T, T-handle 1/2" 1987
 Extension 1/2" 1990-3 -5 -10, Universal joint 1/2" 1995, Impact socket 1/2" K 19 17 18 19 21 22 23 24 27 30 32, Impact extension 1/2" KB 1990-5, Adapter set S 2032-05, 5 pieces
 Check tool inlay with assortment 2005 CT4-7 XL, Combination spanner 1 B 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 30 32 34 mm
 Open-end wrench with ring ratchet 7 R 10 11 12 13 14 15 16 17 18 19 21 22 24 mm, Starter block wrench 304 13x15 14x17 19x22 mm, Double ended flare nut spanner 400 9x11 10x12 13x15 14x17 19x22 24x27
 Allen Key set H 42 EL-88, Allen keys, long 42 EL 12 14, Allen key set PH 42-88, 8 pieces, Allen keys 42 7 9 12 14 17 19 22 mm, 3C-Screwdriver, short pattern 2153 5.5
 3C-Screwdriver with striking cap 2154SK 3.5 5.5 6.5 8, 3C-Screwdriver short pattern 2161 PH 2, 3C-Screwdriver with striking cap 2160SK PH 1 PH 2 PH 3 PH 4, 3C-Screwdriver 2163 TX T10 T15 T20 T25 T30 T40
 Nut drivers 2133 6 7 8 10 11 12 13 mm, Flat blunt workshop file 8701 2-10 | 10", Round workshop file 8722 2-10 | 10", Half-round workshop file 8725 2-10 | 10", Water pump pliers 142 10 TL | 10"
 GEDORE Grip pliers 137 10, Combination pliers 8210-160 JC, Power side cutter 8316-200 JC, Multiple pliers 8133-180 JC, Needle nose pliers 8132 AB-200 JC, Assembly pliers set S 8008, 8 pieces
 Pliers wrench 183 10 JC | 10", Locksmith's hammer ROTBAND-PLUS 600 H-600, Locksmith's hammer ROTBAND-PLUS 600 H-1500, Soft face hammer 248 H-50, Pin punch 119-2 2 3 4 5 6 7 8 9 10
 Grains 100-12, Slotted chisel 104, Cross chisel flat oval 96-175 | 175x17x11mm, Feeler gauge 702 13 M, Gasket scraper 133 K, Steel tape measure 4534-8 | 8m
 Pocket vernier caliper 710, Car light test lamp 4610, Wire brush 644
 Mounting lever 39, Solid 906 foam kneeboard, Magnetic lifter 640-1800

1504 XL-S-198

WORKBENCH WITH AGRAR BASIC TOOL ASSORTMENT

198 pieces

- > Ideally suited for service and maintenance work on agricultural machinery
- > GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- > In workbench no. 1504XL 1411
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > 1 XL drawer (W 1055 x D 400 mm), 6 wide drawers (W 640 x D 400 mm) with full extension, removable



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Pieces	Weight kg
3434826	1504 XL-S-198	GEDORE blue, RAL 5017	1.250	630	985	1x Type XL, H. = 75 mm extra wide 4x Type 1b, H. = 67 mm 1x Type 2b, H. = 137 mm 1x Type 3b, H. = 207 mm	1000	7	198	157,5

Contents

Mobile workbench 1504 XL 1411 1.25 m wide, Screwdriver bit set 1/4" 620-024, Square handle 1/4" 2098, Socket 20 4.4.5 5.5 6 7 8 9 10 11 12 13 14 mm
 Screwdriver bit 1/4" IN 20 4.5 6 8 mm, Screwdriver bit ITX 20 T8 T9 T10 T15 T20 T25
 Reversible ratchet 1/4" 2093 U-10, T-handle 1/4" 2087, Extension 2090-2, Extension 2090-4, Extension 2090-6, Universal joint 2095
 Socket 1/2" 19 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 36 mm, Screwdriver socket 1/2" IN 19 4.5 6 7 8 9 10 12 14 17 19
 Screwdriver socket 1/2" ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100
 Reversible ratchet 1/2" 1993 U-10 T, T-handle 1/2" 1987, Extension 1/2" 1990-3, Extension 1/2" 1990-5, Extension 1/2" 1990-10, Universal joint 1/2" 1995
 Combination spanner 1 B 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 30 32 34 mm, Offset screwdriver set H 42 EL-88, Allen keys 42 EL 12 14
 3C-Screwdriver, short pattern 2153 5.5, 3C-Screwdriver with striking cap 2154SK 3.5 5.5 6.5 8, 3C-Screwdriver short pattern 2161 PH 2, 3C-Screwdriver with striking cap 2160SK PH 1 PH 2 PH 3 PH 4
 3C-Screwdriver 2163 TX T10 T15 T20 T25 T30 T40, Flat workshop file 10" 8701 2-10 | 250x25mm, Round workshop file 10" 8722 2-10 | 250x10 mm
 Half-round workshop file 10" 8725 2-10 | 250x25 mm, Water pump pliers 10" 142 10 tsp, Gedore grip pliers 137 10, Combination pliers 8210-160 JC
 Kraft side cutter 8316-200 JC, Multiple pliers 8133-180 JC, Needle nose pliers 8132 AB-200 JC, Assembly pliers set S 8008, 8 pcs
 Pliers wrench 10" 183 10 JC, Locksmith's hammer ROTBAND-PLUS 600 H-600 S, Locksmith's hammer ROTBAND-PLUS 600 H-1500
 Soft face hammer 248 H-50, Pin Punch 119-2 2 3 4 5 6 7 8 9 10mm, Grains 100-12, Slotted chisel 104
 Cross chisel flat oval 96-175 | 175x17x11mm, Feeler gauge 702 13 M, Gasket scraper 133 K, Steel tape measure 4534-8 | 8m, Pocket vernier caliper 710
 Car light test lamp 4610, Wire brush 644
 Mounting lever 39, Solid foam kneeboard 906, Magnetic lifter 640-1800

KL-4999-1280

SURFACE-MOUNT WORKTOP

- > Suitable for MODULO workshop trolleys KL-4999-12x and 1507 XL
- > For placing on the wooden worktop
- > Extremely robust, impact-resistant and oil-resistant
- > With 2x can shelves and 8x storage compartments

Oil-resistant

Protects the wooden worktop from oil and grease



Can be removed and replaced at all times

Code	No.	Length mm	Width mm	Height mm	Weight kg
3428001	KL-4999-1280	1.210	650	63	3,2

1506 XL 2511

MOBILE WORKBENCH EXTRA-WIDE

- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Total load capacity 1000 kg, 750 kg when mobile
- > The GEDORE trapezoidal axle construction secures smooth running, maneuverability and track-keeping also in case of maximum loads






Code	No.	Length mm	Width mm	Height mm	Worktop thickness mm	Drawers	Number of drawers	Weight kg
2528088	1506 XL 2511	1.250	630	985	30	10x Type 1, H = 67 mm 2x Type 2, H = 137 mm 2x Type 3, H = 207 mm	14	141

KL-4999-420

WORKSHOP TROLLEY

with commercial vehicle hand tool assortment, 302 pieces

- > Extensive range of commercial vehicle/agricultural machinery trolley with tools for professionals
- > Tools in metric version
- > Fully extending wide drawers
- > Drawer fitting in full-surface check tool inserts
- > Central locking with cylinder lock
- > Each drawer with safety locking, single-hand operation
- > Total load capacity 1000 kg, 750 kg when mobile
- > Load capacity per drawer 70 kg



Code	No.	Length mm	Width mm	Height mm	Max. load-bearing capacity kg	Number of drawers	Pieces	Weight kg
3418367	KL-4999-420	1.200	635	985	1000	6	302	220

Contents

1/4" assortment (a/f 4-13, IN 4-8, and T8-T25), 1/2" assortment (a/f 10-32, T20-T60 long, IN 6-19 and IN long 6-14, impact screwdriver sockets a/f 17-32, and telescopic ratchet)
 3/4" assortment (a/f 21-60, E24, and IN long a/f 14, and impact screwdriver inserts a/f 24-41), Bit set and ratchet screwdrivers
 Screwdriver sets (slot 4.5-8, PH 1-4, T10-T40, and IN 2-10), Spanner sets (a/f 6-41 + brake line and starter block spanners)
 Impact spanner sets (E18/E20/E24, hexagon a/f 24/26/27, and hexagon a/f 19/21/24)
 Extensive range of pliers, Extensive range of impact and hand lever tools, Extensive range of measuring, cutting, and machining tools

S 1500 ES-01

MODULE ASSORTMENT SMALL

104 pieces

- > General basic assortment for beginners of all professions
- > Metric tool sizes
- > Proven GEDORE ES tool modules in ABS plastic



Code	No.	Pieces	Weight kg
2319845	S 1500 ES-01	104	14,02

Contents

Combination spanner No. 1 B 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
 Allen keys No. 42 2 2.5 3 4 5 6 8 10
 Socket 1/2" hexagon UD-profile No. 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32
 1/2" Screwdriver socket for in-hex No. IN 19 6 7 8 9 10 12 14, 1/2" Reversible ratchet No. 1993 U-20
 1/2" T-handle No. 1987, 1/2" Universal joint No. 1995, 1/2" Extension No. 1990-5 -10
 1/4" Socket No. 20 4 5 5.5 6 7 8 9 10 11 12 13 14
 1/4" Screwdriver socket for in-hex No. IN 20 3 4 5 6 8
 1/4" Socket wrench for external TX No. TX 20 E4 E5 E6 E7 E8 E10
 1/4" Screwdriver socket for internal TX No. ITX 20 T8 T9 T10 T15 T20 T25 T27 T30 T40
 1/4" T-handle No. 2087, 1/4" Extension No. 2090-4, 1/4" Universal joint No. 2095
 1/4" Driving handle No. 2098, 1/4" Reversible ratchet No. 2093 U-10
 3C-Screwdriver slotted No. 2150 4 5.5 6.5 8
 3C-Screwdriver PH No. 2160 PH 1 2, Universal pliers No. 142 10 JC
 Power combination pliers No. 8250-180 JC
 Flat nose pliers No. 8132-160 JC, Power side cutters No. 8316-160 JC
 Engineer's hammer No. 600 H-300, Flat chisel, octagonal No. 97-250
 Cross-cut chisel, octagonal No. 98-125, Drift punch, octagonal No. 99 12-5
 Centre punch, octagonal No. 100-12
 Pin punch, octagonal No. 119-1,5 3 4

6,3 1/4" 12,5 1/2"

S 1500 ES-02

MODULE ASSORTMENT MIDDLE

207 pieces

- > Basic equipment for the commercial sector or ambitious DIY enthusiast
- > Metric tool sizes
- > Proven GEDORE ES tool modules in ABS plastic



6,3 1/4" 12,5 1/2" 8 5/16"

Code	No.	Pieces	Weight kg
2319853	S 1500 ES-02	207	28,3

Contents

Combination spanner No. 1 B 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22, Allen keys No. 42 2 2.5 3 4 5 6 8 10, Double open-end spanner No. 6 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27
 1/2" Socket No. 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32, 1/2" Impact socket No. K 19 10 13 14 17 19, 1/2" Screwdriver socket slotted No. IS 19 10x1.6 12x2
 1/2" Screwdriver socket PH No. IKS 19 2 3 4, 1/2" Screwdriver socket XZN No. INX 19 8 10, 1/2" Screwdriver socket TX No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60
 1/2" Screwdriver socket TX, long No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, 1/2" Screwdriver socket No. IN 19 5 6 7 8 9 10 12 14 17
 1/2" Screwdriver socket, long No. IN 19 L 5-90 6-90 8-90 10-140 12-140 14-140, 1/2" Reversible ratchet 1993 U-20, 1/2" T-handle No. 1987, 1/2" Universal joint No. 1995, 1/2" Extension No. 1990-5 -10
 1/4" Socket No. 20 4 5 5.5 6 7 8 9 10 11 12 13 14, 1/4" Screwdriver socket for in-hex No. IN 20 3 4 5 6 8, 1/4" Socket wrench for external TX No. TX 20 E4 E5 E6 E7 E8 E10
 1/4" Screwdriver socket for internal TX No. ITX 20 T8 T9 T10 T15 T20 T25 T27 T30 T40, 1/4" T-handle No. 2087, 1/4" Extension No. 2090-4, 1/4" Universal joint No. 2095
 1/4" Driving handle No. 2098, 1/4" Reversible ratchet No. 2093 U-10, 5/16" Screwdriver bit slotted No. 880 7 8 9 12
 5/16" Screwdriver bit in-hex No. 885 5 6 8 10, 5/16" Screwdriver bit No. 890 1 2 3 4, TX Gauge No. 708, Socket wrench with 2C-T-Handle No. 2133 5,5 6 7 8 9 10
 Open-end spanner with ring ratchet No. 7 R 8 10 12 13 14 15 16 17 18 19, 3C-Screwdriver for slotted No. 2150 4 5.5 6.5 8
 3C-Screwdriver for No. 2160 PH 1 2, Adaptor 5/16" hexagon - 1/2" square No. KB 819, Circlip pliers for external retaining rings No. 8000 A 1 A 2 A 21
 Circlip pliers for internal retaining rings No. 8000 J 1 J 2 J 21, Universal pliers No. 142 10 JC, Power combination pliers No. 8250-180 JC
 Flat nose pliers No. 8132-160 JC, Power side cutters No. 8316-160 JC, Flat chisel, octagonal No. 97-250
 Cross-cut chisel, octagonal No. 98-125, Drift punch, octagonal No. 99 12-5, Centre punch, octagonal No. 100-12
 Pin punch, octagonal No. 119-1.5 3 4, Engineer's hammer No. 600 H-300
 Thread file No. 140, Steel tape measure No. 4534-5, TX Gauge No. 708, Digital measuring caliper No. 711
 Tweezers No. 720, Scriber No. 745, 1/2" Screw remover No. K 1900
 Distance module empty No. 1500 ED-70 K, 475x77x40 mm [6x]



S 1500 ES-03

MODULE ASSORTMENT LARGE

325 pieces

- > Extensive industrial range for professionals
- > Metric tool sizes
- > Proven GEDORE ES tool modules in ABS plastic



Code	No.	Pieces	Weight kg
2319861	S 1500 ES-03	325	38

Contents

Traverse 2-arm No. 106/103, Traverse 3-arm No. 107/103, Pressure spindle for puller No. 1.1406140, puller hook No. 106/S100-E
 Combination spanner with equal spanner sizes No. 1 B 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22, Double-jointed spanner No. 34 8x9 10x11 12x13 14x15 16x17
 Double ring spanner No. 2 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22, Double open-end spanner No. 6 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27
 Double ring spanner No. 400 8x10 10x11 12x14 13x15 17x19, open, Open-end spanner with ring ratchet No. 7 R 8 10 12 13 14 15 16 17 18 19
 Open-end spanner, adjustable No. 60 P 8 10", 1/2" socket No. 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32, 1/2" hexagon socket No. K 19 10 13 14 17 19
 1/2" screwdriver bit, slotted No. IS 19 10x1.6 12x2, 1/2" screwdriver bit PH No. IKS 19 2 3 4, 1/2" screwdriver bit insert for internal multi-tooth screws XZN No. INX 19 8 10
 1/2" screwdriver bit for hexagon socket screws No. IN 19 5 6 7 8 9 10 12 14 17, 1/2" screwdriver bit for hexagon socket screws No. IN 19 L 5-90 6-90 8-90 10-140 12-140 14-140, long
 1/2" screwdriver bit XZN No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60, 1/2" screwdriver bit XZN No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, long
 1/2" reversible ratchet 1993 U-20, 1/2" cross handle No. 1987, 1/2" universal joint No. 1995, 1/2" extension No. 1990-5 -10
 1/4" socket No. 20 4 5 5.5 6 7 8 9 10 11 12 13 14, 1/4" screwdriver bit for hexagon socket screws No. IN 20 3 4 5 6 8, 1/4" socket for external TX screws No. TX 20 E4 E5 E6 E7 E8 E10
 1/4" screwdriver bit for internal TX screws No. ITX 20 T8 T9 T10 T15 T20 T25 T27 T30 T40, 1/4" cross handle No. 2087, 1/4" extension No. 2090-4, 1/4" universal joint No. 2095
 1/4" square socket No. 2098, 1/4" reversible ratchet No. 2093 U-10, 1/4" socket No. 20 L, SW 4.4 5 5 6 7 8 9 10 12 13 mm
 1/4" screwdriver bit No. 680, SW 4.5 5 6 5 8 mm, 1/4" screwdriver bit no. 685, SW 2.5 3 4 5 6 mm, 1/4" screwdriver bit no. 685 X 5 6 8 mm
 1/4" screwdriver bit No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40, 1/4" screwdriver bit No. 690 1 2 3, 1/4" screwdriver bit No. 690 PZD 1 2 3, 1/4" bit adapter No. 620
 5/16" screwdriver bit for slotted screws No. 880 7 8 9 12, 5/16" screwdriver bit for hexagon socket screws No. 885 5 6 8 10
 5/16" screwdriver bit for Phillips screws No. 890 1 2 3 4, Connector 5/16" hexagon - 1/2" square No. KB 819, insert holder No. 673 6.3, bit holder No. 699
 Multi-handle No. 676, combination holding tool No. 639, socket spanner with 2C-T-handle No. 2133 5.5 6 7 8 9 10, 3C screwdriver for slotted screws No. 2150 4 5 5.5 6 5 8
 3C screwdriver for Phillips screws No. 2160 PH 1 2, 3C screwdriver for internal TX screws No. 2163 TX T8 T10 T15 T20 T25 T30
 Hexagon socket screwdriver for hexagon socket screws No. 42 2.2 5 3 4 5 6 8 10, Hexagon socket screwdriver for hexagon socket screws No. 42 KEL 2.2 5 3 4 5 6 8 10 mm, extra long, with ball head
 Hex key L-wrenches for internal TX screws No. 43 KTX T10 T15 T20 T25 T27 T30 T40, with ball head, Hex key L-wrenches with 2C-T-handle for hexagon socket screws No. DT 2142 2.2 5 3 4 5 6 7 8 10
 Assembly pliers for external circlips No. 8000 A 1 A 2 A 21, Assembly pliers for internal circlips No. 8000 J 1 J 2 J 21, Grip pliers No. 137 10, universal pliers No. 142 10 C, power combination pliers No. VDE 8250-180 H
 Round nose pliers with cutting edge No. VDE 8132-160 H, VDE diagonal cutters with sheath insulation No. VDE 8314-160 H
 Flat chisel, 8-sided No. 97-250, Cross chisel, 8-sided No. 98-125, Punch, 8-sided No. 99 12-5, Centre punch, 8-sided No. 100-12, pin punch, 8-sided No. 119-1.5 3 4, locksmith's hammer No. 600 H-300
 Steel tape measure No. 4534-5, TX screw gauge No. 708, digital caliper No. 711, tweezers No. 720, scribe No. 745
 1/2" screwdriver No. K 1900, screw extractor No. 8551 M3-M6 M6-M8 M8-M11 M11-M14 M14-M18
 Voltage tester No. 4615 3, 220-250 V, 3mm, cable cutter No. 0513-09, 195 mm, gasket scraper No. 133 K
 TX screw gauge No. 708, thread file No. 140, flat, triangular, square, half-round, round file No. 8728
 Miniature LED light No. 649, empty spacer module No. 1500 ED-70 K, 475x77x40 mm [7x]

1110 WM 321

TOOL BOX MODULE WORKMO B3

2 drawers H6, compartment for L-BOXX® + S-BOXX®

- > 2 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules
- > Compatible with Sortimo® interior vehicle fittings and load safety
- > Load capacity per drawer 60 kg



Code	No.	Length mm	Width mm	Height mm	Weight kg
2954354	1110 WM 321	789	396	506	22,12

1110 WMW-3

TOOL TROLLEY WORKMO B3

- > Consisting of: No. 1110 WM 34, 1110 WM 321, 1110 WMR 23 and 1110 WMHP 3
- > 6 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules
- > Wooden worktop for assembly work
- > Compatible with Sortimo® interior vehicle fittings and load safety



Code	No.	Length mm	Width mm	Height mm	Weight kg
2954443	1110 WMW-3	845	550	1.140	52,8

1110 WMW-2

TOOL TROLLEY WORKMO B2

- > Consisting of: No. 1110 WM 24, 1110 WM 221, 1110 WMR 23 and 1110 WMHP 2
- > 6 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules
- > Wooden worktop for assembly work
- > Compatible with Sortimo® interior vehicle fittings and load safety




Code	No.	Length mm	Width mm	Height mm	Weight kg
2954435	1110 WMW-2	580	550	1.140	42,6

1110 WM 221

TOOL BOX MODULE WORKMO B2

2 drawers H6, compartment for L-BOXX®

- > 2 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules
- > Compatible with Sortimo® interior vehicle fittings and load safety
- > Load capacity per drawer 30 kg



Code	No.	Length mm	Width mm	Height mm	Weight kg
2954338	1110 WM 221	526	396	506	15,26

1041-001

TOOL ASSORTMENT BASIC IN CASE

74 pieces

- > Basic equipment for all trades
- > A practical assortment for on-site use
- > Packed in a strong plastic case made from impact-proof ABS
- > Robust companion - whenever the right tools have always to be at hand



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3082121	1041-001	490	395	185	74	10,6

Contents

Combination wrench No. 7, 10 13 17 19 22 mm, Bit socket box No. 666-U-20, with ratchet 1/4" 35 pcs, Offset screwdriver No. 42, 2.2.5 3 4 5 6 8 10 mm, in holder Adjustable open-end wrench No. 60 P 8, 3C-Screwdriver slot No. 2150, 3 4 5.5 6.5 8 mm, 3C-Screwdriver Cross-recess No. 2160, PH 0 1 2 Recoilless soft-face and engineer's hammer KOMBI-PLUS R No. 247 H-30, head D.30 mm, Pocket Caliper No. 710, Steel tape measure No. 4534-3, tape L. 3 m Voltage Detector Slot No. 4615 3, 220-250 V, 3mm, Wire stripper No. 8098-160 JC, 160 mm 2C handle, Multiple Pliers No. 8133-200 JC, 200 mm 2C handle Power Combination Pliers No. 8250-180 JC, 180 mm, 2C-Handle Power side cutter No. 8316-160 JC, 160 mm, 2C handle Universal Pliers No. 142 10 JC, 10" Striking tool set No. 106, 6 pcs., Cable knife No. 0513-09, blade L.90 mm, Wire brush No. 644, 3 rows + Volume tool case WK 1041 L



1041-003

VDE TOOL ASSORTMENT IN CASE

74 pieces

- > VDE-Basic Assortment
- > A practical assortment for on-site use
- > Packed in a strong plastic case made from impact-proof ABS
- > Robust companion - whenever the right tools have always to be at hand



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3082156	1041-003	490	395	185	74	10,3

Contents

Combination wrench No. 7, 10 13 17 19 22 mm
 1/4" bit socket wrench box No. 666-U-20, with ratchet 35 pcs
 Offset screwdriver set No. PH 42-88, 2.2.5 3 4 5 6 8 10 mm
 Adjustable open-end wrench No. 60 P 8, 8"
 VDE Screwdriver slot No. VDE 2170, 3 3.5 4 5.5 6.5 8 mm
 VDE Screwdriver Cross-recess No. 2160 PH 0 1 2
 Recoilless engineer's hammer KOMBI-PLUS R 247 H-30
 VDE Cable knife No. VDE 4522, 180 mm, Steel tape measure No. 4534-3, tape L. 3 m
 Voltage Detector Slot No. 4615 3, 220-250 V, 3mm
 VDE Wire stripper VDE 8098-160 H, VDE Multi-Pliers No. VDE 8131 AB-200 H
 VDE Power combination pliers No. VDE 8250-180 H
 VDE Power side cutters No. VDE 8316-180 H
 VDE Universal pliers No. VDE 146 10, 10"
 Striking tool set No. 106, 6 pcs., Cable knife No. 0513-09, blade L.90mm
 + Volume tool case WK 1041 L

1100-BASIC

STARTER TOOL KIT

in L-BOXX® 136, 23 pieces

- > Basic equipment for all trades
- > With Check-Tool insert for quick check of tool completeness



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
2835983	1100-BASIC	444	360	152	23	6,1

Contents

L-BOXX® 136 No. 1100 L
 Multi-pliers No. 8133-180 JC, 180 mm
 2C-handle power diagonal cutters No. 8316-180 JC, 180 mm
 2C-handle water pump pliers No. 142 10 TL, 10"
 3C screwdriver, slotted No. 2150, 4.5.5 6.5 mm
 3C screwdriver Phillips No. 2160 PH 1 2
 Voltage tester slotted No. 4615, 3 mm
 Open-end spanner with ring ratchet No. 7 R, SW 10 12 13 14 15 16 17 18 19 mm
 Universal cable knife No. 4528, blade l. 50 mm
 Wooden folding rule No. 4533-2, 2 m
 Hobby saw No. 406, blade l. 145 mm
 Flat chisel No. 95-200, 200x23x13 mm
 Locksmith's hammer No. 600 H-500, 500 g





KL-0870-10 K

VIDEOSCOPE WITH CLEANING FUNCTION

- › Can be used universally on cars, vans, commercial vehicles, buses, construction machinery, agricultural machinery
- › Enables contamination to be localised and removed with pinpoint accuracy
- › The transversely mounted camera with LED lighting and cleaning nozzle also reaches hard-to-access areas, e.g. the air conditioning evaporator
- › With zoom/rotate/mirror function, photo and video documentation with date/time stamp and incl. 8 GB microSD card



Code	No.	Display	Resolution	Angle	Working pressure	Filling
3444929	KL-0870-10 K	3,5"	720 x 625 Pixel	90°	6 - 8 bar	250 ml
Number of LEDs	Battery	Storage	Length mm	Width mm	Height mm	Weight kg
2	1.650 mAh	Hard case	390	295	110	1,6

KL-0880-10 K

VIDEOSCOPE

8 pieces

- › Extremely slim micro camera with Ø 3.9 mm
- › Dust- and water-proof lens with adjustable LED illumination
- › ±180° 2-way articulation enables photo, video, live viewing to front and rear
- › Professional photo and video documentation with date and time stamp
- › Connection with smartphone, tablet and laptop etc. possible



Code	No.	Display	Resolution	Swivel angle	Number of LEDs
3444910	KL-0880-10 K	5,0"	1280x720 Pixel	+/- 180°	6
Battery	Storage	Length mm	Width mm	Height mm	Weight kg
5.000 mAh	Hard case	350	260	70	1,2

KL-0880-20

INFRARED THERMOMETER

- > For quick, non-contact temperature measurement, even for hard-to-reach objects and liquids
- > Very high measuring accuracy thanks to adjustable emissivity detection
- > Red 12-point laser target detection (can be switched off)
- > Measured value hold function with min/max recording



Min./max.
temperature
recording

Measuring point fixing
with a laser



Contactless
temperature
measuring



Code	No.	Measuring range °C	Length mm	Width mm	Height mm	Weight kg
3475840	KL-0880-20	-50 to +550	95	45	145	0,1

900 20

LAMP LED LI-MH USB CHARGING CONNECTION

- > Versatile deployable LED/UV lamp of a slim design with extra functions
- > In particular for the automotive and industrial fields but also for a variety of uses in leisure-time pursuits
- > Continuously dimmable and switchable in blue-violet from LED to UV light (for tracking leaks in air-conditioners and heat pumps).
- > Swing-out hooks on both sides, strong magnet at the 45° adjustable foot and strong tip mini-magnet for bringing up lost incidental parts where space is at a premium
- > Charging either via the supplied power pack or a USB interface



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3108678	900 20	620	477	50	40	0,295

905

ROLLER BOARD

- > Made of PP (polypropylene) - resistant to oils, greases and brake fluid
- > Fatigue-free working, with head/neck cushion for maximum comfort
- > Bucket molding gives additional hold and allows maximum freedom of movement
- > Load capacity 130 kg




Code	No.	Length mm	Width mm	Height mm	Weight kg
1823698	905	1.000	480	120	5

906

KNEELING BOARD

- > Made of solid foam, blue/black
- > With recessed grip




Code	No.	Length mm	Width mm	Height mm	Weight kg
1942948	906	450	210	30	0,11

KL-0169-830

TIE ROD SPANNER SET

6 pieces

- > For easy loosening and adjustment of stuck push/track rods without damaging them
- > The unique two-part design completely encloses the mating surfaces on the tie rod
- > This ensures even force transmission and prevents slipping and expensive replacement of the entire tie rod
- > Conventional open-end spanners are usually too wide or expand under the high force required



3/4"

Code	No.	Pieces	Weight kg
3462927	KL-0169-830	6	2,9

Contents

- 1x KL-0169-8324 - Track Rod Socket, 24mm (waf)
- 1x KL-0169-8327 - Track Rod Socket, 27mm (waf)
- 1x KL-0169-8330 - Track Rod Socket, 30mm (waf)
- 1x KL-0169-8332 - Track Rod Socket, 32mm (waf)
- 1x KL-0169-8334 - Track Rod Socket, 34mm (waf)
- 1x KL-0169-8336 - Track Rod Socket, 36mm (waf)

600 H

ENGINEER'S HAMMER ROT BAND-PLUS - THE ORIGINAL

- > Engineer's hammer with proven safety technology
- > ROT BAND-Plus handle protection sleeve
- > Hammer head hot drop forged, DIN 1041
- > Double-curved, durable hickory handle, DIN 5111



Code	No.	Head weight g	Handle length mm	Spare handle	Length mm	Weight kg
8583070	600 H-300	300	305	E 600 H-300	305	0,502
8583230	600 H-500	500	320	E 600 H-500	320	0,727
8583580	600 H-800	800	350	E 600 H-800	355	1,135

620 E

CLUB HAMMER ROT BAND-PLUS

- > Forged hammer head DIN 6475
- > Curved ash handle (No. E 620 E) DIN 5135 with additional long, hardened steel handle protection sleeve
- > The sleeve, tapered collar, fixing plate and wood screw bond the hammer head and wood handle into one unit
- > ROT BAND-PLUS handle attachment, high safety, long service life




Code	No.	Head weight g	Spare handle	Length mm	Weight kg
8886990	620 E-1000	1000	E 620 E-1000	265	1,288
8887290	620 E-2000	2000	E 620 E-2000	305	2,291

248 ST

RECOILLESS HAMMER

- > With very robust and durable steel tube handle
- > Splinter-proof, shatter-proof and wear-resistant polyamide heads, 75 Shore D, tested to -20° C



Code	No.	Ø	Length mm	Weight kg
8724070	248 ST-25	25	265	0,44
8828950	248 ST-30	30	290	0,6
8829090	248 ST-35	35	295	0,7
8829170	248 ST-40	40	300	0,8
8829410	248 ST-45	45	305	0,95
8829250	248 ST-50	50	310	1,005
8829330	248 ST-60	60	320	1,8



116 A PIN PUNCH SET

6 pieces

- > In PVC holder
- > Carefully hardened and tempered along the full length
- > Striking heads inductively tempered, working ends brightly ground and clear varnished



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
8757670	116 A	155	75	16	6	0,53

Contents

119-3-4-5-6-7-8

106 TOOL SET

6 pieces

- > Striking heads inductively tempered



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
8725200	106	154	75	17	6	0,525

Contents

97-125 150, 98-125, 99 12-3, 100-10, 119-4

113 DRIFT PUNCH SET

6 pieces

- > Striking heads inductively tempered



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
8753680	113	125	78	16	6	0,46

Contents

99 10-1 2 3, 99 12-4 5, 100-10

S 141-3 PRYBAR SET

3 pieces

- > Carefully hardened along the full length
- > Ergonomic PVC handle



Code	No.	Contents	Pieces	Weight kg
1525476	S 141-3	141-300 390 600	3	1,474

8551-88 BOLT EXTRACTOR SET

8 pieces

- > Chrom-vanadium-steel, 54 HRC
- > In transparent plastic box




Code	No.	Contents	Pieces	Weight kg
6759890	8551-88	8551 Bolt extractor M3-M6 M6-M8 M8-M11 M11-M14 M14-M18 M18-M24 M24-M33 M33-M45	8	0,724

KL-0173-4620 K

THREAD REFORMING TOOL SETS

- > Thread forming tool set for threads M3-M16
- > Infinitely adjustable base carrier
- > Thread is deformed back to its original geometry with absolutely no cutting by rolling
- > Strength of the thread is completely retained
- > In a practical plastic case with insert

Enables repairs
without removing
components



Thread
restoration
with full
material
retention

No thread load
capacity weakening



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3291375	KL-0173-4620 K	1x thread repair basic unit 1x thread roller set P=0.8, 1x thread roller set P=1.0 1x thread roller set P=1.25, 1x thread roller set P=1.5 1x thread roller set P=1.75, 1x thread roller set P=2.0 1x offset screwdriver 4 mm, 1x plastic case	345	305	83	20	1,1

1100-1.04

UNIVERSAL PULLER SET

in L-BOXX® 136, 13 pieces

- › With 2- and 3-arm crossbeam
- › With rigid and slim legs and extensions
- › Extra slim Pulling hooks for narrow installation spaces are included for self-installation
- › 12 different pullers can be combined



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
2838362	1100-1.04	Universal puller HIGH POWER No. 1.04/HP1A-B, 2-arm, 130x100 mm Crossbeam No. 107/1A03, 3-arm 180 mm Pulling leg No. 106/A-100-B, all-steel, leg brake 3x extension No. 106/A-100-VB with leg brake 100 mm 3x pulling leg No. 106/A-100-S, slim 100 mm 3x pulling leg No. 106/S101-S, without clamping part Spindle No. 1.1406200, 17 M14x1,5 200 mm + GEDORE L-BOXX® 136 No. 1100 L	444	360	152	13	6,3



1100-1.30

INTERNAL EXTRACTOR SET

in L-BOXX® 136, 8 pieces

- › For inner diameter 12 - 35 mm
- › For extremely-tightly-packed ball bearings, bearing races, bushings, and shaft seals Simmering®
- › With slide hammer and counter support

Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
2836041	1100-1.30	444	360	152	8	7,2


Contents

Internal extractor No. 1.30/2.12-15 mm
 Internal extractor No. 1.30/3.15-19 mm
 Internal extractor No. 1.30/4.19-25 mm
 Internal extractor No. 1.30/4A, 25-30 mm
 Internal extractor No. 1.30/45, 30-35 mm
 Counter support No. 1.36/1 for 1.30/0 - 1.30/5
 Sliding hammer No. 1.35/2, 500 mm, 1.7 kg
 + GEDORE L-BOXX® 136 No. 1100 L



1.06/AS-2
PULLER-SET
with 6 legs

- > 2-arm puller, with 6 slender legs in 3 lengths
- > Particularly suitable for hard-to-reach areas




Code	No.	Max. Usable clamping depth mm	Max. Span mm	Hook foot thickness mm	Total hook base depth mm
1675974	1.06/AS-2	150 / 220 / 300	260	5,0	15

Contents					Weight kg
106/2A03	Cross beam 2-arm	260 mm			8,1
106/B-150-S	Pull-off hook slim	150 mm (2x)			
106/S220	Pull-off hook slim	220 mm (2x)			
106/B-300-S	Pull-off hook slim	300 mm (2x)			
1.2106210	Spindle 22, G 1/2"	210 mm			

1.07/AS
PULLER-SET
with 9 legs

- > Three-arm puller with 9 small hooks in three lengths
- > Particularly suitable for hard-to-reach areas



Code	No.	Max. Usable clamping depth mm	Max. Span mm	Hook foot thickness mm	Total hook base depth mm
8117260	1.07/AS	100 / 200 / 250	130	3,7	13,5

Contents					Weight kg
107/1A03	Cross beam 3-arm	180 mm			4,9
106/A-100-S	Pull-off hook slim	100 mm (3x)			
106/A-200-S	Pull-off hook slim	200 mm (3x)			
106/A-250-S	Pull-off hook slim	250 mm (3x)			
E-1.1406140	Spindle 17, M14x1.5,	140 mm			

1101-1.31/0-H

INTERNAL EXTRACTOR SET

With counter support & slide hammer in i-BOXX, 8-piece

- > Compact and handy set consisting of internal pullers, counter supports & slide hammer
- > Compact and handy i-BOXX ideal for both mobile and stationary use
- > Check-Tool inserts fits into the L-BOXX and tool trolleys/workbenches with minimum drawer dimensions 340 x 260 x 60 mm
- > Check-Tool inserts for quick missing tool check



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3461734	1101-1.31/0-H	367	316	72	8	3,5

Contents

1.30/1 Internal extractor for Ø 8-12mm
 1.30/2 Internal extractor for Ø 12-15 mm
 1.30/3 Internal extractor for Ø 14-19 mm
 1.30/4 Internal extractor for Ø 19-25 mm
 1.30/4A Internal extractor for Ø 24-30 mm
 1.36/1 Counter support for 1.30/0 - 1.30/5
 1.35/1A Sliding hammer 700g for 1.30/0 - 1.30/5
 1101 L GEDORE i-Boxx 72 Small parts case
 EI-1101 CT-1.31/0-H Check-Tool-Module, empty

1.85/1

PROFESSIONAL PLASTIC BEARING INSTALLATION SET

37 pieces

- > Using this bearing installation set more than 200 types of bearings may be re-installed effortlessly and without damage
- > The impact-resistant plastic is handily light, but just as robust as the metal variants
- > The impact rings are now secured on the pipe



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
1120778	1.85/1	360	450	140	37	5,2

Contents

33 impact rings, 10-50 mm for external Ø 26-110 mm
 3 aluminum impact sleeves
 1 recoil-free bodywork hammer with nylon heads (1.2 kg)

1.26

NUT SPLITTER

- > For splitting jammed or stripped nuts without damaging the bolt thread
- > For nuts up to property class 6
- > With chisel stopper



Code	No.	for nuts of size	Width across flats mm	Weight kg
8009610	1.26/2	M10 - M16	17	0,3

S 8303 TC

PLIER SET

3 pieces

- › Practical set composition in environmentally-friendly cardboard box
- › Consisting of universal pliers, power combination pliers and power diagonal cutters for various repairs and maintenance work
- › Chrome-plated surfaces ensure good protection against corrosion
- › Roughly dipped plastic coating ensures comfortable handling, prevents slipping and protects hands from hot or cold workpiece or ambient temperatures



Code	No.	Pieces	Weight kg
3462781	S 8303 TC	3	0,88

Contents

Water pump pliers No. 142 10 TC, 10", 15-way adjustable, dip-insulated
 Power combination pliers No. 8250-180 TC, 180 mm, dip-insulated
 Power side cutter No. 8316-160 TC, 160 mm, dip-insulated

S 8303 JC

PLIERS SET

3 pieces

- › Practical set composition in environmentally-friendly cardboard box
- › Consisting of universal pliers, power combination pliers and power side cutters for various repairs and maintenance work
- › Chrome-plated surfaces provide good protection against corrosion
- › Roughly dipped plastic coating ensures comfortable handling, prevents slipping and protects hands from hot or cold workpiece or ambient temperatures



Code	No.	Pieces	Weight kg
6703160	S 8303 JC	3	1,005

Contents


Universal pliers No. 142 10 JC, 10", 15-way adjustable, 2-component handle
 Power combination pliers No. 8250-180 JC, 180 mm, 2-component handle
 Power side cutter No. 8316-160 JC, 160 mm, 2-component handle

8132-200 TC

TELEPHONE PLIER

with cutting edge, serrated, straight pattern

- › Chrome-plated design for improved rust protection
- › Induction hardened precision cutting edges for longer service life and improved cutting ability
- › Flat and narrow jaw shape for firm and precise gripping and bending of cables or small workpieces
- › Precision cutting for separating material
- › Dipped handles for comfortable handling and insulation at very high and low temperatures
- › TC version = chrome-plated, with blue dipped plastic coating




Code	No.	Length mm	Jaw length mm	Head width mm	Tip width mm	Head thickness mm	Tip thickness mm	Cutting values	Weight kg
3463095	8132-200 TC	202	75,7	18,5	3,7	9,5	2,8	Hard wire: 2,2 mm / 11 AWG Medium hard wire: 3,2 mm / 8 AWG	0,186

8250-200 TC

POWER COMBINATION PLIERS

- > 35% less force required compared to conventional pliers
- > Chrome-plated design for improved rust protection
- > Induction hardened precision cutting edges for longer service life and improved cutting ability
- > Dipped handle covers for comfortable handling and insulation at high and low temperatures
- > Gripping surface with file-cut for a particularly effective hold
- > Roughly toothed gripping surfaces for securely holding screws, pipes etc.



Code	No.	Length mm	Jaw length mm	Head width mm	Tip width mm	Head thickness mm	Weight kg
3463214	8250-200 TC	200	39,5	27,0	6,5	12,4	0,288

Cutting values

Piano wire: 2,2 mm / 11 AWG, Hard wire: 2,8 mm / 9 AWG, Medium hard wire: 3,8 mm / 7 AWG
Soft wire: 6 mm / 3 AWG, Cu cable, multi wire cross section: 25 mm², Multi-wire cable Ø: 13 mm

8133-180 JC

MULTIPLE PLIERS

with cutting edge, serrated, straight pattern

- > Multifunctional pliers for the mechanical and electronic fields
- > Holding, cutting, insulation-stripping, crimping, squeezing
- > Flat-round jaws, straight gripping faces, serrated
- > Induction-hardened precision cutting edges, hardness 62 - 64 HRC
- > For medium-hard wire 1.6 mm and soft wire up to Ø 6.0 mm
- > For crimping wire end ferrules (0.5 - 2.5 mm²)
- > For stripping cables (0.5 - 2.5 mm²)



Code	No.	Total length mm	Weight kg
6722110	8133-180 JC	180	0,18

Cutting values

Hard wire: 1,6 mm / 14 AWG, Medium hard wire: 3 mm / 9 AWG

8245-180 JC

COMBINATION PLIERS

Euro pattern

- > Acc. to DIN ISO 5746
- > Universal model with slimline head, ideal for confined spaces
- > Induction-hardened precision cutting edges, hardness 62 - 64 HRC
- > For round and flat material
- > JC = chrome-plated, with 2-component handle covers



Code	No.	Length mm	Jaw length mm	Head width mm	Tip width mm	Weight kg
6733150	8245-180 JC	180	38	27,0	6,4	
Head thickness mm	Cutting values					Weight kg
9,8	Hard wire: 2,2 mm / 11 AWG Medium hard wire: 3,4 mm / 8 AWG Soft wire: 5 mm / 4 AWG Cu cable, multi wire cross section: 16 mm ² Multi-wire cable Ø: 12 mm					0,28

8316

POWER SIDE CUTTER

American pattern

- > Acc. to DIN ISO 5749
- > Good lever action for easy cutting
- > Inductively hardened cutting edges (63 - 64 HRC) ensure constant cutting power over a long time span
- > Highest cutting performance with less effort due to the optimum interaction of cutting geometry, eccentric rivet bearing and ergonomic handle design
- > JC = chrome-plated, with 2-component handle covers
- > TC version = chrome-plated, with blue dipped handle covers



Code	No.	Length mm	Jaw length mm	Jaw width mm	Head thickness mm	Weight kg
6744510	8316-160 JC	160	19	24,5	10,0	0,236
3463788	8316-200 TC	200	22	28,0	11,0	0,34

8314-160 TC

SIDE CUTTER

Swedish pattern

- > Chrome-plated design for improved rust protection
- > Slim head for optimum accessibility
- > Induction hardened precision cutting edges for longer service life and improved cutting ability
- > Dipped handle covers for comfortable handling and insulation at high and low temperatures



Code	No.	Length mm	Head width mm	Head thickness mm	Weight kg
3463605	8314-160 TC	160	22,0	10,0	0,173

Cutting values

Hard wire: 2 mm / 12 AWG, Medium hard wire: 2,8 mm / 9 AWG
Soft wire: 4 mm / 6 AWG

8340 Z-200 TC

BOLT CUTTERS

- > Compact power bolt cutter with a particularly effective cutting performance
- > Optimum lever action requires less effort
- > Wear-free rotating/thrust block bolt to reduce sliding friction when cutting
- > Double-sided milling with additional cutting edge, in the area close to the joint, guarantees best leverage for large wire diameters
- > TC = chrome-plated, with blue dipped handles



Code	No.	Total length mm	Weight kg
3464954	8340 Z-200 TC	210	0,338

Cutting values

Piano wire: 3,8 mm, Hard wire: 5 mm / 4 AWG
Medium hard wire: 6 mm / 3 AWG, Soft wire: 6 mm / 3 AWG

183 12 TC

PLIER WRENCH

High transmission ratio (>1:10) enables high pressing and clamping force on the jaws



25-way adjustable

Replaces 2 complete sets of spanners, metric 0 - 72 mm and imperial 0 - 2.3/4"



183

PLIER WRENCH

- > One tool that works like a spanner and pliers
- > Careful assembly of bolt connections with delicate surfaces (e.g. chrome-plated fittings)
- > Quick adjustment with push button and slide mechanism
- > Protection jaws available as an option
- > TC version = chrome-plated, with blue dipped handle covers




Code	No.	Size	Clamping reach mm	Length mm	Weight kg
3066029	183 7 TC	7	42	180	0,265
3066037	183 10 TC	10	52	250	0,575
3066045	183 12 TC	12	72	300	0,63

E-183

SET OF PROTECTIVE JAWS

4 pieces

- > Optional protective jaws
- > For gentle assembly of surface-sensitive screw connections




Code	No.	Pieces	Weight kg
3223779	E-183-10	4	0,04
3254305	E-183-7	4	0,02

142 TC

WATER PUMP PLIERS

- > Chrome-plated design increases rust protection and durability of the pliers
- > Induction hardening increases the longevity of the teeth
- > Dipped handle covers for comfortable handling and insulation at high and low temperatures
- > Slightly curved handle shape as well as increased contact surface on the hand for ergonomic working
- > Size on the workpiece adjusted with push button fine adjustment
- > Clamping protection reduces risk of injury
- > Automatic clamping with opposing grip serrated faces



**Chrome-plated design
increases durability**

**Increased durability of
the serrated faces with
induction hardening**

**Dip-coated handle covers
for ergonomic working**



Code	No.	Length mm	Width mm	Height mm	Clamping reach mm	Weight kg
3462595	142 7 TC	180	6,5	40,0	37	0,183
3462633	142 10 TC	250	7,5	48,0	38	0,329
3462722	142 12 TC	300	8,5	55,0	44	0,55
3464083	142 16 TC	400	13,0	85,0	110	1,14

8000 AE

CIRCLIP PLIERS FOR EXTERNAL RETAINING RINGS

Form A

- > For retaining rings according to DIN 471, DIN 983
- > Straight jaws
- > Inside-positioned opening spring
- > Screwed joint connection
- > Pressed-in tips made from highly wear-resistant roller bearing steel



Code	No.	Shaft diameter mm	Shaft diameter "	Total length mm	Head length	Tip-Ø	Weight kg
2930668	8000 AE 1	10-25	3/8-1	145	39	1,3	0,095
2923602	8000 AE 2	19-60	3/4-2.3/8	185	57	1,8	0,18



8000 JE

CIRCLIP PLIERS FOR INTERNAL RETAINING RINGS

- > For retaining rings as per DIN 472, DIN 984
- > Straight jaws
- > Screwed joint connection
- > Indented tips made of highly wear-resistant rolling bearing steel



Code	No.	Shaft diameter mm	Shaft diameter "	Total length mm	Head length	Tip-Ø	Weight kg
2930765	8000 JE 1	12-25	3/8-1	140	41	1,3	0,09
2930773	8000 JE 2	19-60	3/4-2.3/8	180	54	1,8	0,16



8159

STRIPPMAX-ROUND PROFESSIONAL STRIPPING TOOL

- › For convenient stripping of all common round and moisture-proof cables with a diameter of 6.0 - 13.0 mm (e.g. NYM cable 3 x 1.5 mm² to 5 x 2.5 mm²)
- › Automatically regulated cutting depth, therefore also suitable for smaller cable diameters from 6 mm, e.g. 3 x 0.75 mm²
- › Length stops integrated in the housing for possible small series or for assembling cables with the same set-off dimensions
- › Durable quality. Robust, glass fibre reinforced polyamide, high quality knife steel from Solingen



137 10

GRIP PLIERS

- › With adjusting screw and release lever, model 137 10 with blue dip-insulated lever
- › Forged, tempered jaws and special jaw shape for secure gripping, clamping and holding
- › Jaw body made of high-strength sheet steel
- › Automatically welded upper jaw - absolutely firm connection with the steel sheet body
- › Sophisticated jaw shape guarantees three-point support for any material cross section
- › No widening under most extreme loading
- › Safe release



Code	No.	Total length mm	Total length inch	Weight kg
6406700	137 10	230	10"	
Clamping reach mm		Clamping reach inch		
32		1.1/4		0,526

Code	No.	Length mm	Cable diameter mm ²	Weight kg
3416461	8159	140	6-13	0,048

36 1-140

STRAP WRENCH

- › With strong, non-slip fabric strap (E-36), extra wide = 25 mm



Code	No.	for (max.) Ø mm	for (max.) Ø inch	Weight kg
6327320	36 1-140	140	5.1/2"	
Total length mm		Tape width mm		
220		25		0,278




KL-4600-200

TOOL TROLLEY WITH HIGH-VOLTAGE ASSORTMENT

103 pieces

- With its unique kit assembly, the high-voltage VDE tool trolley is ideal for working on hybrid and electric vehicles safely
- Perfect for repair and maintenance work on vehicles of all manufacturers.
- All tools are insulated with protection according to EN 60900/EC 60900
- The tool trolley has side panels with Euro perforations, a heavy-duty chassis with external bearings, ball-bearing guide rails, and central locking



Code	No.	RAL	Length mm	Width mm	Height mm
3415740	KL-4600-200	red	775	475	985
Drawers	Max. load-bearing capacity kg	Number of drawers	Pieces	Weight kg	
full extension	900	6	103	96	

Contents

3/8" VDE tool assortment with 6-22 mm; XZN M8-M12,
 3/8" VDE torque spanner 5-25 Nm
 1/2" VDE tool assortment with 10-24 mm; IN 5-8 mm,
 VDE open-end spanner SW 9-24,
 VDE combination spanner 8-22 mm
 VDE screwdriver slotted; Phillips; TX T8-T30,
 VDE cable shears, VDE universal pliers,
 VDE power combination pliers
 VDE power diagonal cutters, VDE flat nose pliers, angled,
 VDE flat nose pliers, VDE cable cutter, meter sockets,
 digital voltage tester 1,000 V
 Electrician's protective gloves, under gloves,
 rubber cover cloth 250 x 350 mm,
 ISO mat, barrier tape
 Lightning warning sign, high-voltage warning sign 'Switched on',
 high-voltage warning sign 'Switched off',
 safety lock, plastic clamp 80 mm; 160 mm
 Cable spreader wedge, rubber mallet, TTB workshop trolley

3/8" 1/2"   1000 V

1100-1094

VDE TOOL ASSORTMENT HYBRID

53 pieces

- > The perfect range of tools for repair and maintenance work on hybrid and electric vehicles
- > Suitable for vehicles of all manufacturers
- > All tools insulated according to EN 60900/EC 60900
- > GEDORE L-BOXX® 136 compatible with the Sortimo® in-vehicle equipment in your service mobile



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
2979063	1100-1094	444	360	152	53	8,28

Contents

3/8" VDE Socket No. VDE 30, 6 8 9 10 11 12 13 14 15 16 17 18 19 20 22 mm, 3/8" VDE Screwdriver bit socket No. VDE INX 30, 8 10 12 mm, 3/8" VDE Extension No. VDE 3090 -3 -6, 75 150 mm
 3/8" VDE Reversible ratchet No. VDE 3093 U, VDE Screwdriver slotted No. VDE 2170, 2.5 3.5 4 5.5 mm, VDE Screwdriver philips No. VDE 2160 PH 1 2 3
 VDE Screwdriver TX No. VDE 2163 TX T20 T25 T30, VDE Cable cutter No. VDE 8094, 200 mm, VDE Universal pliers No. VDE 146 10, 10", VDE Power combination pliers No. VDE 8250-200 H, 200 mm
 2-Component handle VDE Power side cutter No. VDE 8314-180 H, 180 mm, VDE Flat nose pliers No. VDE 8132 AB-200 JC, 200 mm angled
 2-Component handle VDE Flat nose pliers No. VDE 8120-160 H, 160 mm, 2-Component handle VDE cable knife No. VDE 4522, 180 mm, Counter sleeve No. V 914, size 1 2 3

VDE 2162-2172 PM-06

VDE SCREWDRIVER SET SLIM DRIVE

6 pieces

- > For slotted, cross-recess PH and plus-minus screws
- > Ultra-small blade diameter yet with full mechanical and electrical safety
- > Insulated up to 1000 V, according to EN 60900/IEC 60900, fully insulated blade
- > Ergonomic 3-component handle Power-Grip³ for maximum power transmission with minimum stress on the hand



Code	No.	Contents	Pieces	Weight kg
2928701	VDE 2162-2172 PM-06	VDE 2172 3.5 4.5 5 VDE 2162 PH 1 2 VDE 2164 SL/PH2	6	0,59

VDE 2162-2172 PZ-06

VDE SCREWDRIVER SET SLIM DRIVE

6 pieces

- > For slotted and cross-recess screws PZ
- > Ultra-small blade diameter yet with full mechanical and electrical safety
- > Insulated up to 1000 V, according to EN 60900/IEC 60900, fully insulated blade
- > Ergonomic 3-component handle Power-Grip³ for maximum power transmission with minimum stress on the hand



Code	No.	Contents	Pieces	Weight kg
2928728	VDE 2162-2172 PZ-06	VDE 2172 3.5 4.5 5 6.5 VDE 2162 PZ 1 2	6	0,59

VDE 8092-160 H VDE CABLE SHEARS

- > For cutting multi-core copper and aluminum cables up to max. 50 mm² or up to a Ø of 10 mm
- > Handles with VDE insulating sleeves up to 1000 V, acc. to EN 60900/IEC 60900
- > Precision grinding for optimum transmission
- > Hardness 55 HRC



Code	No.	Cable cross-section mm ²	Cable diameter mm	Weight kg
3412407	VDE 8092-160 H	50	10	
Total length mm		Total length inch		
160		6 2/3"		0,21

VDE 8316-180 H VDE POWER SIDE CUTTER with insulating sleeves

- > Optimised leverage for easier cutting of material
- > Induction-hardened precision cutting edges, hardness 63 - 65 HRC
- > GEDORE special hardened and tempered steel, drop-forged, oil-hardened and annealed
- > Legs insulated up to 1000 V, to EN 60900/IEC 60900, 2-component protective handle covers



Code	No.	Length mm	Jaw length mm	Head width mm	Weight kg
1550993	VDE 8316-180 H	180	22,6	26,0	
Head thickness mm		Cutting values			Weight kg
11,0		Piano wire: 1,8 mm / 13 AWG Hard wire: 2,7 mm / 10 AWG Medium hard wire: 3,8 mm / 7 AWG			0,267

VDE 8131 AB-200 H VDE MULTIPLE PLIERS with VDE insulating sleeves, angled pattern

- > Cable cutter, cables up to 5x2.5 mm² or Ø 12 mm
- > Stripping blades for wires 1.5 mm² and 2.5 mm²
- > Crimping profile: Crimping of ferrules
- > Protective insulation up to 1000 V, according to EN 60900/IEC 60900



Code	No.	Total length mm	Weight kg
2910845	VDE 8131 AB-200 H	200	0,217

Cutting values
 Hard wire: 1,6 mm / 14 AWG
 Medium hard wire: 3 mm / 9 AWG
 Cu cable, multi wire cross section: 5x2.5 mm²
 Multi-wire cable Ø: 12 mm

VDE 8132-200 H

VDE TELEPHONE PLIERS

with sheath insulation, straight

- › Long, flat-round jaws, straight gripping faces, serrated
- › For holding, gripping, bending and cutting
- › Legs insulated up to 1000 V, to EN 60900/IEC 60900, 2-component protective handle covers



Code	No.	Length mm	Jaw length mm	Head width mm	Tip width mm
1552120	VDE 8132-200 H	200	75,7	18,5	3,7
Head thickness mm	Tip thickness mm	Cutting values			Weight kg
9,5	2,8	Hard wire: 2,2 mm / 11 AWG Medium hard wire: 3,2 mm / 8 AWG			0,235

VDE 8098-160 H

VDE STRIPPING PLIERS

with insulating sleeves

- › V-shaped cutting jaws for stripping solid and stranded conductors
- › Easy adjustment to the required wire or strand diameter by means of the set screw and lock nut
- › For wires from 0.5 to 10.0 mm²
- › Handles with VDE insulating sleeves up to 1000 V, acc. to EN 60900/IEC 60900



Code	No.	Length mm	Jaw length mm	Head width mm
1552074	VDE 8098-160 H	160	43,5	18,5
Head thickness mm	Cable cross-section mm ²	Weight kg		
8,5	0,5 - 10	0,204		

VDE 8250-180 H

VDE POWER COMBINATION PLIERS

with insulating sleeves

- › Induction-hardened precision cutting edges, hardness 62 - 64 HRC
- › High cutting performance with guaranteed 35% less effort
- › Legs VDE insulated up to 1000 V, according to EN 60900/IEC 60900, 2-component handle protection sleeves



Code	No.	Length mm	Jaw length mm	Head width mm	Tip width mm	Head thickness mm	Cutting values	Weight kg
1550950	VDE 8250-180 H	180	38,5	25,6	6,5	11,0	Piano wire: 2 mm / 12 AWG Hard wire: 2 mm / 12 AWG Medium hard wire: 3,4 mm / 8 AWG Soft wire: 5 mm / 4 AWG Cu cable, multi wire cross section: 16 mm ² Multi-wire cable Ø: 11 mm	0,288



VDE 4508

VDE TORQUE WRENCH

5-25 Nm - 10-50 Nm

- › Controlled screw tightening in the most widely used range
- › Release system triggers a tactile and audible signal
- › Scale with Nm division
- › Classified according to DIN EN ISO 6789-2:2017 Type II Class A, incl. traceable test certificate, calibrated to a maximum permissible deviation of +/- 3 % and thus more precise than the +/- 4 % required by the standard
- › Safety button to protect against accidental release of the insert
- › VDE insulation up to 1000 V, acc. to EN 60900/IEC 60900



Code	No.	Type	Square drive inch	Square drive metric mm	Nm	vernier Nm	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Weight kg
3125335	VDE 4508-02	Reversible ratchet	3/8"	10	5-25	0,1	75	24	319	50,0	62	0,714
3079066	VDE 4508-05	Reversible ratchet	1/2"	12,5	10-50	0,25	80	24	369	50,0	62	0,825

KL-0840-100 K

BATTERY TESTER

- > Can be used universally on vehicles with 6/12/24 volt LEAD, GEL, AGM, EFB and LITHIUM batteries
- > For professionally checking the condition of the battery, alternator and starter motor
- > Battery test in installed or removed state, incl. test report output via thermal printer
- > Real-time monitoring in the vehicle thanks to 2.50 m measuring cable

6V, 12V and 24V
measurement

Test report output

For installed
or removed
batteries

Menu-guided operation



Code	No.	Length mm	Width mm	Height mm	Weight kg
3477185	KL-0840-100 K	255	104	36	2,3

GEDORE

TOOLS FOR LIFE

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheid Straße 149
42899 Remscheid · GERMANY
Tel. + 49 (0) 21 91- 596 - 0
Fax + 49 (0) 21 91- 596 - 230
info@gedore.com
www.gedore.com

Vertrieb Deutschland
Tel. + 49 (0) 21 91- 596 - 900
Fax + 49 (0) 21 91- 596 - 999

GEDORE Automotive GmbH

Breslauer Straße 41
78166 Donaueschingen · GERMANY
Tel. +49 771 83223-0
Fax +49 771 83223-90
info.gam@gedore.com
www.gedore-automotive.com

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz · GERMANY
T +49 7042 9441-0
F +49 7042 9441-41
torque-solutions@gedore.com

GEDORE AUSTRIA GmbH

Gedore-Str. 1
8190 Birkfeld / Stmk. · AUSTRIA
Tel. +43 (0) 3174 / 363 64 00
Fax +43 (0) 3174 / 363 83 20
sales.austria@gedore.com
www.gedore.at

GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road,
New Germany, 3610 - South Africa
PO Box 68, New Germany, 3620
SOUTH AFRICA
Tel. +27 (0) 31 / 705 3587
Fax +27 (0) 31 / 705 32770
esales@gedore.co.za
www.gedore.co.za

GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Júndiz
01015 Vitoria Alava · SPAIN
Tel. +34-945-29 22 62
Fax +34-945-29 21 99
gedore@gedore.es
www.gedore.es

GEDORE Torque Ltd

(Formerly Gedore UK)
Tannery Lane, Gosden Common
Bramley, Guildford
Surrey
GU5 0AJ · UNITED KINGDOM
Tel. +44 (0) 1756 / 70 67 00
sales@gedoreuk.com
www.gedoreuk.com

GEDORE France SARL

Parc d'activités des Béthunes - La Mare II
10, avenue du Fief - Bât. 12
BP 79144 Saint-Ouen-l'Aumône
F-95074 Cergy Pontoise Cedex · FRANCE
Tél. +33 (0)1 34 40 16 60
Fax +33 (0)1 34 40 16 61
jadore@gedore.fr
www.gedore.fr

GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV
Alphen aan den Rijn · NETHERLANDS
Tel. +31 (0) 172 / 42 73 50
Fax +31 (0) 172 / 42 73 60
info@gedore.nl
www.gedore.nl

GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar
Gurgaon – 122051
Haryana · INDIA
Tel. +91 (0) 124 22910 – 65/66/67
Fax +91 124 2341067
sales@gedoreindia.com
www.gedore.in

GEDORE POLSKA Sp. z o.o.

ul. Żwirki i Wigury 56a
43-190 Mikołów · POLAND
Tel. +48 (0) 32 / 738-40 10
Fax +48 (0) 32 / 738-40 20
gedore@gedore.pl
www.gedore.pl

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis,
275 Bairro Vicentina
São Leopoldo - RS | 93025-340 · BRAZIL
Tel. +55 51- 3589 9200
Fax + 55 51- 3589 9222
export@gedore.com.br
www.gedore.com.br

GEDORE TOOLS

300 Langner Rd
Suite 250
West Seneca, NY 14224 · USA
Phone: +1 (843) 225 5015
Fax: +1 (843) 300 0315
info@gedoretools.com
www.gedoretools.com

GEDORE Tool Trading (Shanghai) Co., Ltd.

1/F, Block 2, 1358 Pingan Road,
Minhang, Shanghai · CHINA 201109
Tel. +86-21-3388 7258
Fax +86-21-3388 7259
Service Hotline: 400 880 1858
info@gedore.cn
www.gedore.cn

Your dealer / stamp:

Brands of the GEDORE Group
gedore.com · ochsenkopf.com

MAGIC 2025 TOOL PROMOTION valid
from 01/03/2025 until 31/12/2025.
While stocks last.

Delivery without decoration. Technical specifications subject to modifications.
No liability for printing errors. Please ask your local dealer.

gedore.com